

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
DIVISION 01 - GENERAL REQUIREMENTS									
1	Supervision	1.0	LS	0%	1.00	\$ -	\$ -	\$ -	
2	Permits	1.0	LS	0%	1.00	\$ -	\$ -	\$ -	
3	Final Cleanup	1.0	LS	0%	1.00	\$ -	\$ -	\$ -	
4	Mobilization Costs	1.0	LS	0%	1.00	\$ -	\$ -	\$ -	
5	Project Overheads	1.0	LS	0%	1.00	\$ -	\$ -	\$ -	
6	Bonds	1.0	LS	0%	1.00	\$ -	\$ -	\$ -	
7	Temporary Control & Facilities	1.0	LS	0%	1.00	\$ -	\$ -	\$ -	
Sub Total									\$0

DIVISION 06 - WOOD, PLASTIC & COMPOSITE

WALL FRAMING									
CELLAR FLOOR									
Wall Type 'C1' (75 LF & 10'-6" H)									
8	2" x 6" FRT Wood Studs @ 16" O.C. Max (58 EA & 787.5 SF)	609.0	LF	0%	609.00	\$ -	\$ -	\$ -	
9	2" x 6" FRT Wood Top Plate	150.0	LF	0%	150.00	\$ -	\$ -	\$ -	
10	2" x 6" FRT Wood Bottom Plate	75.0	LF	0%	75.00	\$ -	\$ -	\$ -	
Wall Type 'C2' (123 LF & 9'-1" H)									
11	2" x 6" FRT Wood Studs @ 16" O.C. Max (94 EA & 1117.4 SF)	853.9	LF	0%	853.90	\$ -	\$ -	\$ -	
12	2" x 6" FRT Wood Top Plate	246.0	LF	0%	246.00	\$ -	\$ -	\$ -	
13	2" x 6" FRT Wood Bottom Plate	123.0	LF	0%	123.00	\$ -	\$ -	\$ -	
Wall Type 'C3' (40 LF & 9'-1" H)									
14	2" x 4" FRT Wood Studs @ 16" O.C. Max (32 EA & 363.6 SF)	290.9	LF	0%	290.88	\$ -	\$ -	\$ -	
15	2" x 4" FRT Wood Top Plate	80.0	LF	0%	80.00	\$ -	\$ -	\$ -	
16	2" x 4" FRT Wood Bottom Plate	40.0	LF	0%	40.00	\$ -	\$ -	\$ -	
Wall Type 'D1' (38 LF & 9'-1" H)									
17	2" x 6" FRT Wood Studs @ 16" O.C. Max (30 EA & 345.2 SF)	345.2	LF	0%	345.20	\$ -	\$ -	\$ -	
18	2" x 6" FRT Wood Top Plate	76.0	LF	0%	76.00	\$ -	\$ -	\$ -	
19	2" x 6" FRT Wood Bottom Plate	38.0	LF	0%	38.00	\$ -	\$ -	\$ -	
Wall Type 'F1' (14 LF & 9'-1" H)									
20	2" x 4" Nom. Wood Studs @ 16" O.C. Max (12 EA & 127.2 SF)	109.0	LF	0%	109.01	\$ -	\$ -	\$ -	
21	2" x 4" Nom. Wood Top Plate	28.0	LF	0%	28.00	\$ -	\$ -	\$ -	
22	2" x 4" Nom. Wood Bottom Plate	14.0	LF	0%	14.00	\$ -	\$ -	\$ -	
Wall Type 'F1' (13 LF & 10'-6" H)									
23	2" x 4" Nom. Wood Studs @ 16" O.C. Max (11 EA & 136.5 SF)	115.5	LF	0%	115.50	\$ -	\$ -	\$ -	
24	2" x 4" Nom. Wood Top Plate	26.0	LF	0%	26.00	\$ -	\$ -	\$ -	
25	2" x 4" Nom. Wood Bottom Plate	13.0	LF	0%	13.00	\$ -	\$ -	\$ -	
Wall Type 'F2-W' (39 LF & 9'-1" H)									
26	2" x 6" Nom. Wood Studs @ 16" O.C. Max (31 EA & 354.51 SF)	281.8	LF	0%	281.79	\$ -	\$ -	\$ -	
27	2" x 6" Nom. Wood Top Plate	78.0	LF	0%	78.00	\$ -	\$ -	\$ -	
28	2" x 6" Nom. Wood Bottom Plate	39.0	LF	0%	39.00	\$ -	\$ -	\$ -	
Wall Type 'F3' (68 LF & 9'-1" H)									
29	2" x 4" Nom. Wood Studs @ 16" O.C. Max (Roated) (8 EA & 618.12 SF)	72.7	LF	0%	72.72	\$ -	\$ -	\$ -	
Wall Type 'F3-W' (16 LF & 9'-1" H)									
30	2" x 4" Nom. Wood Studs @ 16" O.C. Max (Roated) (8 EA & 145.44 SF)	72.7	LF	0%	72.72	\$ -	\$ -	\$ -	
Wall Type 'P1' (285 LF & 9'-1" H)									
31	2" x 4" Wood Studs @ 16" O.C. Max (216 EA & 2589 SF)	2588.9	LF	0%	2588.94	\$ -	\$ -	\$ -	
32	2" x 4" Wood Top Plate	570.0	LF	0%	570.00	\$ -	\$ -	\$ -	
33	2" x 4" Wood Bottom Plate	285.0	LF	0%	285.00	\$ -	\$ -	\$ -	
Wall Type 'P2-W' (17 LF & 9'-1" H)									
34	2" x 6" Wood Studs @ 16" O.C. Max (14 EA & 154.53 SF)	127.3	LF	0%	127.26	\$ -	\$ -	\$ -	
35	2" x 6" Wood Top Plate	34.0	LF	0%	34.00	\$ -	\$ -	\$ -	
36	2" x 6" Wood Bottom Plate	17.0	LF	0%	17.00	\$ -	\$ -	\$ -	
Wall Type 'EX1a' (78 LF & 1'-9" H)									
37	2" x 6" FRT Wood Studs @ 16" O.C. Max (60 EA & 137.28 SF)	105.6	LF	0%	105.60	\$ -	\$ -	\$ -	
38	2" x 6" FRT Wood Top Plate	156.0	LF	0%	156.00	\$ -	\$ -	\$ -	
39	2" x 6" FRT Wood Bottom Plate	78.0	LF	0%	78.00	\$ -	\$ -	\$ -	
Wall Type 'EX1a' (78 LF & 2'-0" H)									
40	2" x 6" FRT Wood Studs @ 16" O.C. Max (60 EA & 156 SF)	120.0	LF	0%	120.00	\$ -	\$ -	\$ -	
41	2" x 6" FRT Wood Top Plate	156.0	LF	0%	156.00	\$ -	\$ -	\$ -	
42	2" x 6" FRT Wood Bottom Plate	78.0	LF	0%	78.00	\$ -	\$ -	\$ -	
Wall Type 'EX1a' (19 LF & 10'-6" H)									
43	2" x 6" FRT Wood Studs @ 16" O.C. Max (16 EA & 199.5 SF)	168.0	LF	0%	168.00	\$ -	\$ -	\$ -	
44	2" x 6" FRT Wood Top Plate	38.0	LF	0%	38.00	\$ -	\$ -	\$ -	
45	2" x 6" FRT Wood Bottom Plate	19.0	LF	0%	19.00	\$ -	\$ -	\$ -	
Wall Type 'EX3' (18 LF & 10'-6" H)									
46	2" x 6" FRT Wood Studs @ 16" O.C. Max (15 EA & 189 SF)	157.5	LF	0%	157.50	\$ -	\$ -	\$ -	
47	2" x 6" FRT Wood Top Plate	36.0	LF	0%	36.00	\$ -	\$ -	\$ -	
48	2" x 6" FRT Wood Bottom Plate	18.0	LF	0%	18.00	\$ -	\$ -	\$ -	
FIRST FLOOR									
Wall Type 'C1' (137 LF & 9'-1" H)									
49	2" x 6" FRT Wood Studs @ 16" O.C. Max (105 EA & 1244.6 SF)	953.8	LF	0%	953.82	\$ -	\$ -	\$ -	
50	2" x 6" FRT Wood Top Plate	274.0	LF	0%	274.00	\$ -	\$ -	\$ -	
51	2" x 6" FRT Wood Bottom Plate	137.0	LF	0%	137.00	\$ -	\$ -	\$ -	
Wall Type 'C1' (60 LF & 10'-6" H)									
52	2" x 6" FRT Wood Studs @ 16" O.C. Max (47 EA & 630 SF)	493.5	LF	0%	493.50	\$ -	\$ -	\$ -	
53	2" x 6" FRT Wood Top Plate	120.0	LF	0%	120.00	\$ -	\$ -	\$ -	
54	2" x 6" FRT Wood Bottom Plate	60.0	LF	0%	60.00	\$ -	\$ -	\$ -	
Wall Type 'D1' (38 LF & 9'-1" H)									

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
55	2" x 6" FRT Wood Studs @ 16" O.C. Max (30 EA & 345.2 SF)	272.5	LF	0%	272.52	\$ -	\$ -	\$ -	
56	2" x 6" FRT Wood Top Plate	76.0	LF	0%	76.00	\$ -	\$ -	\$ -	
57	2" x 6" FRT Wood Bottom Plate	38.0	LF	0%	38.00	\$ -	\$ -	\$ -	
	Wall Type 'F1' (72 LF & 9'-1" H)								
58	2" x 4" Nom. Wood Studs @ 16" O.C. Max (56 EA & 654 SF)	190.9	LF	0%	190.89	\$ -	\$ -	\$ -	
59	2" x 4" Nom. Wood Top Plate	144.0	LF	0%	144.00	\$ -	\$ -	\$ -	
60	2" x 4" Nom. Wood Bottom Plate	72.0	LF	0%	72.00	\$ -	\$ -	\$ -	
	Wall Type 'F1' (13 LF & 10'-6" H)								
61	2" x 4" Nom. Wood Studs @ 16" O.C. Max (11 EA & 136.5 SF)	115.5	LF	0%	115.50	\$ -	\$ -	\$ -	
62	2" x 4" Nom. Wood Top Plate	26.0	LF	0%	26.00	\$ -	\$ -	\$ -	
63	2" x 4" Nom. Wood Bottom Plate	13.0	LF	0%	13.00	\$ -	\$ -	\$ -	
	Wall Type 'F2-W' (7 LF & 9'-1" H)								
64	2" x 6" Nom. Wood Studs @ 16" O.C. Max (7 EA & 63.63 SF)	63.6	LF	0%	63.63	\$ -	\$ -	\$ -	
65	2" x 6" Nom. Wood Top Plate	14.0	LF	0%	14.00	\$ -	\$ -	\$ -	
66	2" x 6" Nom. Wood Bottom Plate	7.0	LF	0%	7.00	\$ -	\$ -	\$ -	
	Wall Type 'F3' (29 LF & 9'-1" H)								
67	2" x 4" Nom. Wood Studs @ 16" O.C. Max (Roated) (8 EA & 263.61 SF)	72.7	LF	0%	72.72	\$ -	\$ -	\$ -	
	Wall Type 'F3-W' (12 LF & 9'-1" H)								
68	2" x 4" Nom. Wood Studs @ 16" O.C. Max (Roated) (8 EA & 109.08 SF)	72.7	LF	0%	72.72	\$ -	\$ -	\$ -	
	Wall Type 'P1' (273 LF & 9'-1" H)								
69	2" x 4" Wood Studs @ 16" O.C. Max (207 EA & 2480 SF)	1880.4	LF	0%	1880.39	\$ -	\$ -	\$ -	
70	2" x 4" Wood Top Plate	546.0	LF	0%	546.00	\$ -	\$ -	\$ -	
71	2" x 4" Wood Bottom Plate	273.0	LF	0%	273.00	\$ -	\$ -	\$ -	
	Wall Type 'P2-W' (14 LF & 9'-1" H)								
72	2" x 6" Wood Studs @ 16" O.C. Max (12 EA & 127.26 SF)	109.1	LF	0%	109.08	\$ -	\$ -	\$ -	
73	2" x 6" Wood Top Plate	28.0	LF	0%	28.00	\$ -	\$ -	\$ -	
74	2" x 6" Wood Bottom Plate	14.0	LF	0%	14.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (34 LF & 2'-6" H)								
75	2" x 6" FRT Wood Studs @ 16" O.C. Max (27 EA & 85 SF)	67.5	LF	0%	67.50	\$ -	\$ -	\$ -	
76	2" x 6" FRT Wood Top Plate	68.0	LF	0%	68.00	\$ -	\$ -	\$ -	
77	2" x 6" FRT Wood Bottom Plate	34.0	LF	0%	34.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (34 LF & 2'-9" H)								
78	2" x 6" FRT Wood Studs @ 16" O.C. Max (27 EA & 93.84 SF)	74.5	LF	0%	74.52	\$ -	\$ -	\$ -	
79	2" x 6" FRT Wood Top Plate	68.0	LF	0%	68.00	\$ -	\$ -	\$ -	
80	2" x 6" FRT Wood Bottom Plate	34.0	LF	0%	34.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (91 LF & 10'-6" H)								
81	2" x 6" FRT Wood Studs @ 16" O.C. Max (70 EA & 955.5 SF)	742.0	LF	0%	742.00	\$ -	\$ -	\$ -	
82	2" x 6" FRT Wood Top Plate	182.0	LF	0%	182.00	\$ -	\$ -	\$ -	
83	2" x 6" FRT Wood Bottom Plate	91.0	LF	0%	91.00	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (29 LF & 10'-6" H)								
84	2" x 6" FRT Wood Studs @ 16" O.C. Max (23 EA & 304.5 SF)	241.5	LF	0%	241.50	\$ -	\$ -	\$ -	
85	2" x 6" FRT Wood Top Plate	58.0	LF	0%	58.00	\$ -	\$ -	\$ -	
86	2" x 6" FRT Wood Bottom Plate	29.0	LF	0%	29.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (45 LF & 2'-6" H)								
87	2" x 6" FRT Wood Studs @ 16" O.C. Max (35 EA & 112.5 SF)	87.5	LF	0%	87.50	\$ -	\$ -	\$ -	
88	2" x 6" FRT Wood Top Plate	90.0	LF	0%	90.00	\$ -	\$ -	\$ -	
89	2" x 6" FRT Wood Bottom Plate	45.0	LF	0%	45.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (35 LF & 2'-9" H)								
90	2" x 6" FRT Wood Studs @ 16" O.C. Max (28 EA & 96.6 SF)	77.3	LF	0%	77.28	\$ -	\$ -	\$ -	
91	2" x 6" FRT Wood Top Plate	70.0	LF	0%	70.00	\$ -	\$ -	\$ -	
92	2" x 6" FRT Wood Bottom Plate	35.0	LF	0%	35.00	\$ -	\$ -	\$ -	
	Wall Type 'EX5' (9 LF & 10'-6" H)								
93	2" x 4" FRT Wood Studs @ 16" O.C. Max (8 EA & 94.5 SF)	84.0	LF	0%	84.00	\$ -	\$ -	\$ -	
94	2" x 4" FRT Wood Top Plate	18.0	LF	0%	18.00	\$ -	\$ -	\$ -	
95	2" x 4" FRT Wood Bottom Plate	9.0	LF	0%	9.00	\$ -	\$ -	\$ -	
96	2" x 6" FRT Wood Studs @ 16" O.C. Max (8 EA & 94.5 SF)	84.0	LF	0%	84.00	\$ -	\$ -	\$ -	
97	2" x 6" FRT Wood Top Plate	18.0	LF	0%	18.00	\$ -	\$ -	\$ -	
98	2" x 6" FRT Wood Bottom Plate	9.0	LF	0%	9.00	\$ -	\$ -	\$ -	
	Wall Type 'EX6' (11 LF & 10'-6" H)								
99	2" x 6" FRT Wood Studs @ 16" O.C. Max (10 EA & 115.5 SF)	105.0	LF	0%	105.00	\$ -	\$ -	\$ -	
100	2" x 6" FRT Wood Top Plate	22.0	LF	0%	22.00	\$ -	\$ -	\$ -	
101	2" x 6" FRT Wood Bottom Plate	11.0	LF	0%	11.00	\$ -	\$ -	\$ -	
	2ND FLOOR								
	Wall Type 'C1' (75 LF & 10'-6" H)								
102	2" x 6" FRT Wood Studs @ 16" O.C. Max (58 EA & 787.5 SF)	609.0	LF	0%	609.00	\$ -	\$ -	\$ -	
103	2" x 6" FRT Wood Top Plate	150.0	LF	0%	150.00	\$ -	\$ -	\$ -	
104	2" x 6" FRT Wood Bottom Plate	75.0	LF	0%	75.00	\$ -	\$ -	\$ -	
	Wall Type 'C2' (84 LF & 9'-1" H)								
105	2" x 6" FRT Wood Studs @ 16" O.C. Max (65 EA & 763.1 SF)	590.5	LF	0%	590.46	\$ -	\$ -	\$ -	
106	2" x 6" FRT Wood Top Plate	168.0	LF	0%	168.00	\$ -	\$ -	\$ -	
107	2" x 6" FRT Wood Bottom Plate	84.0	LF	0%	84.00	\$ -	\$ -	\$ -	
	Wall Type 'D1' (66 LF & 9'-1" H)								
108	2" x 6" FRT Wood Studs @ 16" O.C. Max (51 EA & 599.6 SF)	463.3	LF	0%	463.28	\$ -	\$ -	\$ -	
109	2" x 6" FRT Wood Top Plate	132.0	LF	0%	132.00	\$ -	\$ -	\$ -	
110	2" x 6" FRT Wood Bottom Plate	66.0	LF	0%	66.00	\$ -	\$ -	\$ -	
	Wall Type 'F1' (23 LF & 9'-1" H)								
111	2" x 4" Nom. Wood Studs @ 16" O.C. Max (19 EA & 209.07 SF)	172.7	LF	0%	172.71	\$ -	\$ -	\$ -	
112	2" x 4" Nom. Wood Top Plate	46.0	LF	0%	46.00	\$ -	\$ -	\$ -	
113	2" x 4" Nom. Wood Bottom Plate	23.0	LF	0%	23.00	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT		
DATE		
Sub Total		\$0
Profit/Overhead @ 20%	20.00%	\$0.00
TOTAL COST		\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
	Wall Type 'F1' (13 LF & 10'-6" H)								
114	2" x 4" Nom. Wood Studs @ 16" O.C. Max (11 EA & 136.5 SF)	115.5	LF	0%	115.50	\$ -	\$ -	\$ -	
115	2" x 4" Nom. Wood Top Plate	26.0	LF	0%	26.00	\$ -	\$ -	\$ -	
116	2" x 4" Nom. Wood Bottom Plate	13.0	LF	0%	13.00	\$ -	\$ -	\$ -	
	Wall Type 'F2' (39 LF & 9'-1" H)								
117	2" x 6" Nom. Wood Studs @ 16" O.C. Max (31 EA & 354.51 SF)	281.8	LF	0%	281.79	\$ -	\$ -	\$ -	
118	2" x 6" Nom. Wood Top Plate	78.0	LF	0%	78.00	\$ -	\$ -	\$ -	
119	2" x 6" Nom. Wood Bottom Plate	39.0	LF	0%	39.00	\$ -	\$ -	\$ -	
	Wall Type 'F3' (12 LF & 9'-1" H)								
120	2" x 4" Nom. Wood Studs @ 16" O.C. Max (Roated) (8 EA & 109.08 SF)	72.7	LF	0%	72.72	\$ -	\$ -	\$ -	
	Wall Type 'F3-W' (16 LF & 9'-1" H)								
121	2" x 4" Nom. Wood Studs @ 16" O.C. Max (Roated) (8 EA & 145.44 SF)	72.7	LF	0%	72.72	\$ -	\$ -	\$ -	
	Wall Type 'P1' (325 LF & 9'-1" H)								
122	2" x 4" Wood Studs @ 16" O.C. Max (246 EA & 2952.3 SF)	2234.7	LF	0%	2234.66	\$ -	\$ -	\$ -	
123	2" x 4" Wood Top Plate	650.0	LF	0%	650.00	\$ -	\$ -	\$ -	
124	2" x 4" Wood Bottom Plate	325.0	LF	0%	325.00	\$ -	\$ -	\$ -	
	Wall Type 'P2' (17 LF & 9'-1" H)								
125	2" x 6" Wood Studs @ 16" O.C. Max (14 EA & 154.53 SF)	127.3	LF	0%	127.26	\$ -	\$ -	\$ -	
126	2" x 6" Wood Top Plate	34.0	LF	0%	34.00	\$ -	\$ -	\$ -	
127	2" x 6" Wood Bottom Plate	17.0	LF	0%	17.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (30 LF & 2'-6" H)								
128	2" x 6" FRT Wood Studs @ 16" O.C. Max (24 EA & 75 SF)	60.0	LF	0%	60.00	\$ -	\$ -	\$ -	
129	2" x 6" FRT Wood Top Plate	60.0	LF	0%	60.00	\$ -	\$ -	\$ -	
130	2" x 6" FRT Wood Bottom Plate	30.0	LF	0%	30.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (30 LF & 2'-9" H)								
131	2" x 6" FRT Wood Studs @ 16" O.C. Max (24 EA & 82.8 SF)	66.2	LF	0%	66.24	\$ -	\$ -	\$ -	
132	2" x 6" FRT Wood Top Plate	60.0	LF	0%	60.00	\$ -	\$ -	\$ -	
133	2" x 6" FRT Wood Bottom Plate	30.0	LF	0%	30.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (52 LF & 10'-6" H)								
134	2" x 6" FRT Wood Studs @ 16" O.C. Max (41 EA & 546 SF)	430.5	LF	0%	430.50	\$ -	\$ -	\$ -	
135	2" x 6" FRT Wood Top Plate	104.0	LF	0%	104.00	\$ -	\$ -	\$ -	
136	2" x 6" FRT Wood Bottom Plate	52.0	LF	0%	52.00	\$ -	\$ -	\$ -	
	Wall Type 'EX2' (11 LF & 10'-6" H)								
137	2" x 6" FRT Wood Studs @ 16" O.C. Max (10 EA & 115.5 SF)	105.0	LF	0%	105.00	\$ -	\$ -	\$ -	
138	2" x 6" FRT Wood Top Plate	22.0	LF	0%	22.00	\$ -	\$ -	\$ -	
139	2" x 6" FRT Wood Bottom Plate	11.0	LF	0%	11.00	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (34 LF & 10'-6" H)								
140	2" x 6" FRT Wood Studs @ 16" O.C. Max (27 EA & 357 SF)	283.5	LF	0%	283.50	\$ -	\$ -	\$ -	
141	2" x 6" FRT Wood Top Plate	68.0	LF	0%	68.00	\$ -	\$ -	\$ -	
142	2" x 6" FRT Wood Bottom Plate	34.0	LF	0%	34.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (39 LF & 2'-6" H)								
143	2" x 6" FRT Wood Studs @ 16" O.C. Max (31 EA & 97.5 SF)	77.5	LF	0%	77.50	\$ -	\$ -	\$ -	
144	2" x 6" FRT Wood Top Plate	78.0	LF	0%	78.00	\$ -	\$ -	\$ -	
145	2" x 6" FRT Wood Bottom Plate	39.0	LF	0%	39.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (32 LF & 2'-9" H)								
146	2" x 6" FRT Wood Studs @ 16" O.C. Max (26 EA & 88.32 SF)	71.8	LF	0%	71.76	\$ -	\$ -	\$ -	
147	2" x 6" FRT Wood Top Plate	64.0	LF	0%	64.00	\$ -	\$ -	\$ -	
148	2" x 6" FRT Wood Bottom Plate	32.0	LF	0%	32.00	\$ -	\$ -	\$ -	
	Wall Type 'EX5' (9 LF & 10'-6" H)								
149	2" x 4" FRT Wood Studs @ 16" O.C. Max (8 EA & 94.5 SF)	84.0	LF	0%	84.00	\$ -	\$ -	\$ -	
150	2" x 4" FRT Wood Top Plate	18.0	LF	0%	18.00	\$ -	\$ -	\$ -	
151	2" x 4" FRT Wood Bottom Plate	9.0	LF	0%	9.00	\$ -	\$ -	\$ -	
152	2" x 6" FRT Wood Studs @ 16" O.C. Max (8 EA & 94.5 SF)	84.0	LF	0%	84.00	\$ -	\$ -	\$ -	
153	2" x 6" FRT Wood Top Plate	18.0	LF	0%	18.00	\$ -	\$ -	\$ -	
154	2" x 6" FRT Wood Bottom Plate	9.0	LF	0%	9.00	\$ -	\$ -	\$ -	
	3RD FLOOR								
	Wall Type 'C1' (75 LF & 10'-6" H)								
155	2" x 6" FRT Wood Studs @ 16" O.C. Max (58 EA & 787.5 SF)	609.0	LF	0%	609.00	\$ -	\$ -	\$ -	
156	2" x 6" FRT Wood Top Plate	150.0	LF	0%	150.00	\$ -	\$ -	\$ -	
157	2" x 6" FRT Wood Bottom Plate	75.0	LF	0%	75.00	\$ -	\$ -	\$ -	
	Wall Type 'C2' (84 LF & 9'-1" H)								
158	2" x 6" FRT Wood Studs @ 16" O.C. Max (65 EA & 763.1 SF)	590.5	LF	0%	590.46	\$ -	\$ -	\$ -	
159	2" x 6" FRT Wood Top Plate	168.0	LF	0%	168.00	\$ -	\$ -	\$ -	
160	2" x 6" FRT Wood Bottom Plate	84.0	LF	0%	84.00	\$ -	\$ -	\$ -	
	Wall Type 'D1' (66 LF & 9'-1" H)								
161	2" x 6" FRT Wood Studs @ 16" O.C. Max (51 EA & 599.6 SF)	463.3	LF	0%	463.28	\$ -	\$ -	\$ -	
162	2" x 6" FRT Wood Top Plate	132.0	LF	0%	132.00	\$ -	\$ -	\$ -	
163	2" x 6" FRT Wood Bottom Plate	66.0	LF	0%	66.00	\$ -	\$ -	\$ -	
	Wall Type 'F1' (23 LF & 9'-1" H)								
164	2" x 4" Nom. Wood Studs @ 16" O.C. Max (19 EA & 209.07 SF)	172.7	LF	0%	172.71	\$ -	\$ -	\$ -	
165	2" x 4" Nom. Wood Top Plate	46.0	LF	0%	46.00	\$ -	\$ -	\$ -	
166	2" x 4" Nom. Wood Bottom Plate	23.0	LF	0%	23.00	\$ -	\$ -	\$ -	
	Wall Type 'F1' (13 LF & 10'-6" H)								
167	2" x 4" Nom. Wood Studs @ 16" O.C. Max (11 EA & 136.5 SF)	115.5	LF	0%	115.50	\$ -	\$ -	\$ -	
168	2" x 4" Nom. Wood Top Plate	26.0	LF	0%	26.00	\$ -	\$ -	\$ -	
169	2" x 4" Nom. Wood Bottom Plate	13.0	LF	0%	13.00	\$ -	\$ -	\$ -	
	Wall Type 'F2' (39 LF & 9'-1" H)								
170	2" x 6" Nom. Wood Studs @ 16" O.C. Max (31 EA & 354.51 SF)	281.8	LF	0%	281.79	\$ -	\$ -	\$ -	
171	2" x 6" Nom. Wood Top Plate	78.0	LF	0%	78.00	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
172	2" x 6" Nom. Wood Bottom Plate	39.0	LF	0%	39.00	\$ -	\$ -	\$ -	
	Wall Type 'F3' (12 LF & 9'-1" H)								
173	2" x 4" Nom. Wood Studs @ 16" O.C. Max (Roated) (8 EA & 109.08 SF)	72.7	LF	0%	72.72	\$ -	\$ -	\$ -	
	Wall Type 'F3-W' (16 LF & 9'-1" H)								
174	2" x 4" Nom. Wood Studs @ 16" O.C. Max (Roated) (8 EA & 145.44 SF)	72.7	LF	0%	72.72	\$ -	\$ -	\$ -	
	Wall Type 'P1' (325 LF & 9'-1" H)								
175	2" x 4" Wood Studs @ 16" O.C. Max (246 EA & 2952.3 SF)	2234.7	LF	0%	2234.66	\$ -	\$ -	\$ -	
176	2" x 4" Wood Top Plate	650.0	LF	0%	650.00	\$ -	\$ -	\$ -	
177	2" x 4" Wood Bottom Plate	325.0	LF	0%	325.00	\$ -	\$ -	\$ -	
	Wall Type 'P2' (17 LF & 9'-1" H)								
178	2" x 6" Wood Studs @ 16" O.C. Max (14 EA & 154.53 SF)	127.3	LF	0%	127.26	\$ -	\$ -	\$ -	
179	2" x 6" Wood Top Plate	34.0	LF	0%	34.00	\$ -	\$ -	\$ -	
180	2" x 6" Wood Bottom Plate	17.0	LF	0%	17.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (30 LF & 2'-6" H)								
181	2" x 6" FRT Wood Studs @ 16" O.C. Max (24 EA & 75 SF)	60.0	LF	0%	60.00	\$ -	\$ -	\$ -	
182	2" x 6" FRT Wood Top Plate	60.0	LF	0%	60.00	\$ -	\$ -	\$ -	
183	2" x 6" FRT Wood Bottom Plate	30.0	LF	0%	30.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (30 LF & 2'-9" H)								
184	2" x 6" FRT Wood Studs @ 16" O.C. Max (24 EA & 82.8 SF)	66.2	LF	0%	66.24	\$ -	\$ -	\$ -	
185	2" x 6" FRT Wood Top Plate	60.0	LF	0%	60.00	\$ -	\$ -	\$ -	
186	2" x 6" FRT Wood Bottom Plate	30.0	LF	0%	30.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (52 LF & 10'-6" H)								
187	2" x 6" FRT Wood Studs @ 16" O.C. Max (41 EA & 546 SF)	430.5	LF	0%	430.50	\$ -	\$ -	\$ -	
188	2" x 6" FRT Wood Top Plate	104.0	LF	0%	104.00	\$ -	\$ -	\$ -	
189	2" x 6" FRT Wood Bottom Plate	52.0	LF	0%	52.00	\$ -	\$ -	\$ -	
	Wall Type 'EX2' (11 LF & 10'-6" H)								
190	2" x 6" FRT Wood Studs @ 16" O.C. Max (10 EA & 115.5 SF)	105.0	LF	0%	105.00	\$ -	\$ -	\$ -	
191	2" x 6" FRT Wood Top Plate	22.0	LF	0%	22.00	\$ -	\$ -	\$ -	
192	2" x 6" FRT Wood Bottom Plate	11.0	LF	0%	11.00	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (34 LF & 10'-6" H)								
193	2" x 6" FRT Wood Studs @ 16" O.C. Max (27 EA & 357 SF)	283.5	LF	0%	283.50	\$ -	\$ -	\$ -	
194	2" x 6" FRT Wood Top Plate	68.0	LF	0%	68.00	\$ -	\$ -	\$ -	
195	2" x 6" FRT Wood Bottom Plate	34.0	LF	0%	34.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (39 LF & 2'-6" H)								
196	2" x 6" FRT Wood Studs @ 16" O.C. Max (31 EA & 97.5 SF)	77.5	LF	0%	77.50	\$ -	\$ -	\$ -	
197	2" x 6" FRT Wood Top Plate	78.0	LF	0%	78.00	\$ -	\$ -	\$ -	
198	2" x 6" FRT Wood Bottom Plate	39.0	LF	0%	39.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (32 LF & 2'-9" H)								
199	2" x 6" FRT Wood Studs @ 16" O.C. Max (26 EA & 88.32 SF)	71.8	LF	0%	71.76	\$ -	\$ -	\$ -	
200	2" x 6" FRT Wood Top Plate	64.0	LF	0%	64.00	\$ -	\$ -	\$ -	
201	2" x 6" FRT Wood Bottom Plate	32.0	LF	0%	32.00	\$ -	\$ -	\$ -	
	Wall Type 'EX5' (9 LF & 10'-6" H)								
202	2" x 4" FRT Wood Studs @ 16" O.C. Max (8 EA & 94.5 SF)	84.0	LF	0%	84.00	\$ -	\$ -	\$ -	
203	2" x 4" FRT Wood Top Plate	18.0	LF	0%	18.00	\$ -	\$ -	\$ -	
204	2" x 4" FRT Wood Bottom Plate	9.0	LF	0%	9.00	\$ -	\$ -	\$ -	
205	2" x 6" FRT Wood Studs @ 16" O.C. Max (8 EA & 94.5 SF)	84.0	LF	0%	84.00	\$ -	\$ -	\$ -	
206	2" x 6" FRT Wood Top Plate	18.0	LF	0%	18.00	\$ -	\$ -	\$ -	
207	2" x 6" FRT Wood Bottom Plate	9.0	LF	0%	9.00	\$ -	\$ -	\$ -	
	FOURTH FLOOR								
	Wall Type 'C1' (4 LF & 11'-0" H)								
208	2" x 6" FRT Wood Studs @ 16" O.C. Max (5 EA & 44 SF)	55.0	LF	0%	55.00	\$ -	\$ -	\$ -	
209	2" x 6" FRT Wood Top Plate	8.0	LF	0%	8.00	\$ -	\$ -	\$ -	
210	2" x 6" FRT Wood Bottom Plate	4.0	LF	0%	4.00	\$ -	\$ -	\$ -	
	Wall Type 'C1' (41 LF & 11'-6" H)								
211	2" x 6" FRT Wood Studs @ 16" O.C. Max (32 EA & 471.5 SF)	368.0	LF	0%	368.00	\$ -	\$ -	\$ -	
212	2" x 6" FRT Wood Top Plate	82.0	LF	0%	82.00	\$ -	\$ -	\$ -	
213	2" x 6" FRT Wood Bottom Plate	41.0	LF	0%	41.00	\$ -	\$ -	\$ -	
	Wall Type 'C1' (30 LF & 9'-1" H)								
214	2" x 6" FRT Wood Studs @ 16" O.C. Max (24 EA & 272.7 SF)	218.2	LF	0%	218.16	\$ -	\$ -	\$ -	
215	2" x 6" FRT Wood Top Plate	60.0	LF	0%	60.00	\$ -	\$ -	\$ -	
216	2" x 6" FRT Wood Bottom Plate	30.0	LF	0%	30.00	\$ -	\$ -	\$ -	
	Wall Type 'C2' (103 LF & 9'-1" H)								
217	2" x 6" FRT Wood Studs @ 16" O.C. Max (79 EA & 935..7 SF)	717.6	LF	0%	717.64	\$ -	\$ -	\$ -	
218	2" x 6" FRT Wood Top Plate	206.0	LF	0%	206.00	\$ -	\$ -	\$ -	
219	2" x 6" FRT Wood Bottom Plate	103.0	LF	0%	103.00	\$ -	\$ -	\$ -	
	Wall Type 'D1' (99 LF & 9'-1" H)								
220	2" x 6" FRT Wood Studs @ 16" O.C. Max (76 EA & 899.4 SF)	690.4	LF	0%	690.38	\$ -	\$ -	\$ -	
221	2" x 6" FRT Wood Top Plate	198.0	LF	0%	198.00	\$ -	\$ -	\$ -	
222	2" x 6" FRT Wood Bottom Plate	99.0	LF	0%	99.00	\$ -	\$ -	\$ -	
	Wall Type 'F1' (18 LF & 9'-1" H)								
223	2" x 4" Nom. Wood Studs @ 16" O.C. Max (15 EA & 163.62 SF)	136.4	LF	0%	136.35	\$ -	\$ -	\$ -	
224	2" x 4" Nom. Wood Top Plate	36.0	LF	0%	36.00	\$ -	\$ -	\$ -	
225	2" x 4" Nom. Wood Bottom Plate	18.0	LF	0%	18.00	\$ -	\$ -	\$ -	
	Wall Type 'F2-W' (22 LF & 9'-1" H)								
226	2" x 6" Nom. Wood Studs @ 16" O.C. Max (18 EA & 199.98 SF)	163.6	LF	0%	163.62	\$ -	\$ -	\$ -	
227	2" x 6" Nom. Wood Top Plate	44.0	LF	0%	44.00	\$ -	\$ -	\$ -	
228	2" x 6" Nom. Wood Bottom Plate	22.0	LF	0%	22.00	\$ -	\$ -	\$ -	
	Wall Type 'F3' (2 LF & 9'-1" H)								
229	2" x 4" Nom. Wood Studs @ 16" O.C. Max (Roated) (8 EA & 18.18 SF)	72.7	LF	0%	72.72	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT		
DATE		
Sub Total		\$0
Profit/Overhead @ 20%	20.00%	\$0.00
TOTAL COST	\$0	

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
	Wall Type 'P1' (8 LF & 7'-6" H)								
230	2" x 4" Wood Studs @ 16" O.C. Max (8 EA & 60 SF)	60.0	LF	0%	60.00	\$ -	\$ -	\$ -	
231	2" x 4" Wood Top Plate	16.0	LF	0%	16.00	\$ -	\$ -	\$ -	
232	2" x 4" Wood Bottom Plate	8.0	LF	0%	8.00	\$ -	\$ -	\$ -	
	Wall Type 'P1' (199 LF & 9'-1" H)								
233	2" x 4" Wood Studs @ 16" O.C. Max (151 EA & 1807.8 SF)	1371.7	LF	0%	1371.68	\$ -	\$ -	\$ -	
234	2" x 4" Wood Top Plate	398.0	LF	0%	398.00	\$ -	\$ -	\$ -	
235	2" x 4" Wood Bottom Plate	199.0	LF	0%	199.00	\$ -	\$ -	\$ -	
	Wall Type 'P2' (7 LF & 7'-6" H)								
236	2" x 6" Wood Studs @ 16" O.C. Max (7 EA & 52.5 SF)	52.5	LF	0%	52.50	\$ -	\$ -	\$ -	
237	2" x 6" Wood Top Plate	14.0	LF	0%	14.00	\$ -	\$ -	\$ -	
238	2" x 6" Wood Bottom Plate	7.0	LF	0%	7.00	\$ -	\$ -	\$ -	
	Wall Type 'P2' (24 LF & 9'-1" H)								
239	2" x 6" Wood Studs @ 16" O.C. Max (20 EA & 218.16 SF)	181.8	LF	0%	181.80	\$ -	\$ -	\$ -	
240	2" x 6" Wood Top Plate	48.0	LF	0%	48.00	\$ -	\$ -	\$ -	
241	2" x 6" Wood Bottom Plate	24.0	LF	0%	24.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (27 LF & 1'-2" H)								
242	2" x 6" FRT Wood Studs @ 16" O.C. Max (22 EA & 31.32 SF)	25.5	LF	0%	25.52	\$ -	\$ -	\$ -	
243	2" x 6" FRT Wood Top Plate	54.0	LF	0%	54.00	\$ -	\$ -	\$ -	
244	2" x 6" FRT Wood Bottom Plate	27.0	LF	0%	27.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (27 LF & 3'-4" H)								
245	2" x 6" FRT Wood Studs @ 16" O.C. Max (22 EA & 89.91 SF)	73.3	LF	0%	73.26	\$ -	\$ -	\$ -	
246	2" x 6" FRT Wood Top Plate	54.0	LF	0%	54.00	\$ -	\$ -	\$ -	
247	2" x 6" FRT Wood Bottom Plate	27.0	LF	0%	27.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (52 LF & 11'-4" H)								
248	2" x 6" FRT Wood Studs @ 16" O.C. Max (41 EA & 589.16 SF)	464.5	LF	0%	464.53	\$ -	\$ -	\$ -	
249	2" x 6" FRT Wood Top Plate	104.0	LF	0%	104.00	\$ -	\$ -	\$ -	
250	2" x 6" FRT Wood Bottom Plate	52.0	LF	0%	52.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (40 LF & 14'-10" H)								
251	2" x 6" FRT Wood Studs @ 16" O.C. Max (32 EA & 593.4 SF)	474.7	LF	0%	474.66	\$ -	\$ -	\$ -	
252	2" x 6" FRT Wood Top Plate	80.0	LF	0%	80.00	\$ -	\$ -	\$ -	
253	2" x 6" FRT Wood Bottom Plate	40.0	LF	0%	40.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (38 LF & 15'-10" H)								
254	2" x 6" FRT Wood Studs @ 16" O.C. Max (30 EA & 475 SF)	475.0	LF	0%	474.99	\$ -	\$ -	\$ -	
255	2" x 6" FRT Wood Top Plate	76.0	LF	0%	76.00	\$ -	\$ -	\$ -	
256	2" x 6" FRT Wood Bottom Plate	38.0	LF	0%	38.00	\$ -	\$ -	\$ -	
	Wall Type 'EX2' (14 LF & 11'-4" H)								
257	2" x 6" FRT Wood Studs @ 16" O.C. Max (12 EA & 158.62 SF)	136.0	LF	0%	135.96	\$ -	\$ -	\$ -	
258	2" x 6" FRT Wood Top Plate	28.0	LF	0%	28.00	\$ -	\$ -	\$ -	
259	2" x 6" FRT Wood Bottom Plate	14.0	LF	0%	14.00	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (36 LF & 11'-4" H)								
260	2" x 6" FRT Wood Studs @ 16" O.C. Max (29 EA & 407.88 SF)	328.6	LF	0%	328.57	\$ -	\$ -	\$ -	
261	2" x 6" FRT Wood Top Plate	72.0	LF	0%	72.00	\$ -	\$ -	\$ -	
262	2" x 6" FRT Wood Bottom Plate	36.0	LF	0%	36.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (29 LF & 1'-2" H)								
263	2" x 6" FRT Wood Studs @ 16" O.C. Max (23 EA & 33.64 SF)	26.7	LF	0%	26.68	\$ -	\$ -	\$ -	
264	2" x 6" FRT Wood Top Plate	58.0	LF	0%	58.00	\$ -	\$ -	\$ -	
265	2" x 6" FRT Wood Bottom Plate	29.0	LF	0%	29.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (39 LF & 3'-4" H)								
266	2" x 6" FRT Wood Studs @ 16" O.C. Max (31 EA & 129.9 SF)	103.2	LF	0%	103.23	\$ -	\$ -	\$ -	
267	2" x 6" FRT Wood Top Plate	78.0	LF	0%	78.00	\$ -	\$ -	\$ -	
268	2" x 6" FRT Wood Bottom Plate	39.0	LF	0%	39.00	\$ -	\$ -	\$ -	
	Wall Type 'EX5' (8 LF & 11'-4" H)								
269	2" x 4" FRT Wood Studs @ 16" O.C. Max (8 EA & 90.64 SF)	90.6	LF	0%	90.64	\$ -	\$ -	\$ -	
270	2" x 4" FRT Wood Top Plate	16.0	LF	0%	16.00	\$ -	\$ -	\$ -	
271	2" x 4" FRT Wood Bottom Plate	8.0	LF	0%	8.00	\$ -	\$ -	\$ -	
272	2" x 6" FRT Wood Studs @ 16" O.C. Max (8 EA & 90.64 SF)	90.6	LF	0%	90.64	\$ -	\$ -	\$ -	
273	2" x 6" FRT Wood Top Plate	16.0	LF	0%	16.00	\$ -	\$ -	\$ -	
274	2" x 6" FRT Wood Bottom Plate	8.0	LF	0%	8.00	\$ -	\$ -	\$ -	
	PENTHOUSE FLOOR								
	Wall Type 'C1' (17 LF & 8'-5" H)								
275	2" x 6" FRT Wood Studs @ 16" O.C. Max (14 EA & 143.65 SF)	118.3	LF	0%	118.30	\$ -	\$ -	\$ -	
276	2" x 6" FRT Wood Top Plate	34.0	LF	0%	34.00	\$ -	\$ -	\$ -	
277	2" x 6" FRT Wood Bottom Plate	17.0	LF	0%	17.00	\$ -	\$ -	\$ -	
	Wall Type 'D1' (106 LF & 8'-5" H)								
278	2" x 6" FRT Wood Studs @ 16" O.C. Max (81 EA & 892.6 SF)	682.0	LF	0%	682.02	\$ -	\$ -	\$ -	
279	2" x 6" FRT Wood Top Plate	212.0	LF	0%	212.00	\$ -	\$ -	\$ -	
280	2" x 6" FRT Wood Bottom Plate	106.0	LF	0%	106.00	\$ -	\$ -	\$ -	
	Wall Type 'F1' (22 LF & 8'-5" H)								
281	2" x 4" Nom. Wood Studs @ 16" O.C. Max (18 EA & 185.9 SF)	152.1	LF	0%	152.10	\$ -	\$ -	\$ -	
282	2" x 4" Nom. Wood Top Plate	44.0	LF	0%	44.00	\$ -	\$ -	\$ -	
283	2" x 4" Nom. Wood Bottom Plate	22.0	LF	0%	22.00	\$ -	\$ -	\$ -	
	Wall Type 'P1' (190 LF & 8'-5" H)								
284	2" x 4" Wood Studs @ 16" O.C. Max (144 EA & 1599.8 SF)	1212.5	LF	0%	1212.48	\$ -	\$ -	\$ -	
285	2" x 4" Wood Top Plate	380.0	LF	0%	380.00	\$ -	\$ -	\$ -	
286	2" x 4" Wood Bottom Plate	190.0	LF	0%	190.00	\$ -	\$ -	\$ -	
	Wall Type 'P2' (3 LF & 8'-5" H)								
287	2" x 6" Wood Studs @ 16" O.C. Max (4 EA & 25.35 SF)	33.8	LF	0%	33.80	\$ -	\$ -	\$ -	
288	2" x 6" Wood Top Plate	6.0	LF	0%	6.00	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
289	2" x 6" Wood Bottom Plate	3.0	LF	0%	3.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (16 LF & 1'-6" H)								
290	2" x 6" FRT Wood Studs @ 16" O.C. Max (14 EA & 24 SF)	21.0	LF	0%	21.00	\$ -	\$ -	\$ -	
291	2" x 6" FRT Wood Top Plate	32.0	LF	0%	32.00	\$ -	\$ -	\$ -	
292	2" x 6" FRT Wood Bottom Plate	16.0	LF	0%	16.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (25 LF & 1'-8" H)								
293	2" x 6" FRT Wood Studs @ 16" O.C. Max (20 EA & 41.75 SF)	33.4	LF	0%	33.40	\$ -	\$ -	\$ -	
294	2" x 6" FRT Wood Top Plate	50.0	LF	0%	50.00	\$ -	\$ -	\$ -	
295	2" x 6" FRT Wood Bottom Plate	25.0	LF	0%	25.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (94 LF & 10'-6" H)								
296	2" x 6" FRT Wood Studs @ 16" O.C. Max (72 EA & 987 SF)	756.0	LF	0%	756.00	\$ -	\$ -	\$ -	
297	2" x 6" FRT Wood Top Plate	188.0	LF	0%	188.00	\$ -	\$ -	\$ -	
298	2" x 6" FRT Wood Bottom Plate	94.0	LF	0%	94.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1b' (19 LF & 1'-6" H)								
299	2" x 4" FRT Wood Studs @ 16" O.C. Max (16 EA & 28.5 SF)	24.0	LF	0%	24.00	\$ -	\$ -	\$ -	
300	2" x 4" FRT Wood Top Plate	38.0	LF	0%	38.00	\$ -	\$ -	\$ -	
301	2" x 4" FRT Wood Bottom Plate	19.0	LF	0%	19.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1b' (25 LF & 1'-8" H)								
302	2" x 4" FRT Wood Studs @ 16" O.C. Max (20 EA & 41.75 SF)	33.4	LF	0%	33.40	\$ -	\$ -	\$ -	
303	2" x 4" FRT Wood Top Plate	50.0	LF	0%	50.00	\$ -	\$ -	\$ -	
304	2" x 4" FRT Wood Bottom Plate	25.0	LF	0%	25.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1b' (38 LF & 10'-6" H)								
305	2" x 4" FRT Wood Studs @ 16" O.C. Max (30 EA & 399 SF)	315.0	LF	0%	315.00	\$ -	\$ -	\$ -	
306	2" x 4" FRT Wood Top Plate	76.0	LF	0%	76.00	\$ -	\$ -	\$ -	
307	2" x 4" FRT Wood Bottom Plate	38.0	LF	0%	38.00	\$ -	\$ -	\$ -	
	Wall Type 'EX6' (140 LF & 3'-6" H)								
308	2" x 6" FRT Wood Studs @ 16" O.C. Max (107 EA & 490 SF)	374.5	LF	0%	374.50	\$ -	\$ -	\$ -	
309	2" x 6" FRT Wood Top Plate	280.0	LF	0%	280.00	\$ -	\$ -	\$ -	
310	2" x 6" FRT Wood Bottom Plate	140.0	LF	0%	140.00	\$ -	\$ -	\$ -	
	Wall Type 'EX6' (72 LF & 4'-6" H)								
311	2" x 6" FRT Wood Studs @ 16" O.C. Max (56 EA & 324 SF)	252.0	LF	0%	252.00	\$ -	\$ -	\$ -	
312	2" x 6" FRT Wood Top Plate	144.0	LF	0%	144.00	\$ -	\$ -	\$ -	
313	2" x 6" FRT Wood Bottom Plate	72.0	LF	0%	72.00	\$ -	\$ -	\$ -	
	ROOF								
	Wall Type 'EX6' (180 LF & 2'-0" H)								
314	2" x 6" FRT Wood Studs @ 16" O.C. Max (137 EA & 360 SF)	274.0	LF	0%	274.00	\$ -	\$ -	\$ -	
315	2" x 6" FRT Wood Top Plate	360.0	LF	0%	360.00	\$ -	\$ -	\$ -	
316	2" x 6" FRT Wood Bottom Plate	180.0	LF	0%	180.00	\$ -	\$ -	\$ -	
	SHEATHING								
	WALLS								
	CELLAR FLOOR								
	Wall Type 'EX1a' (78 LF & 1'-9" H)								
317	2x5/8" Type X Glass Mat Sheathing One Side	274.6	SF	0%	274.56	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (78 LF & 2'-0" H)								
318	2x5/8" Type X Glass Mat Sheathing One Side	312.0	SF	0%	312.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (19 LF & 10'-6" H)								
319	2x5/8" Type X Glass Mat Sheathing One Side	399.0	SF	0%	399.00	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (18 LF & 10'-6" H)								
320	1x5/8" Type X Glass Mat Sheathing One Side	189.0	SF	0%	189.00	\$ -	\$ -	\$ -	
	FIRST FLOOR								
	Wall Type 'EX1a' (85 LF & 10'-6" H)								
321	2x5/8" Type X Glass Mat Sheathing One Side	1785.0	SF	0%	1785.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (34 LF & 2'-9" H)								
322	2x5/8" Type X Glass Mat Sheathing One Side	187.7	SF	0%	187.68	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (34 LF & 2'-6" H)								
323	2x5/8" Type X Glass Mat Sheathing One Side	170.0	SF	0%	170.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a-W' (6 LF & 10'-6" H)								
324	2x5/8" Type X Glass Mat Sheathing One Side	126.0	SF	0%	126.00	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (29 LF & 10'-6" H)								
325	1x5/8" Type X Glass Mat Sheathing One Side	304.5	SF	0%	304.50	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (10 LF & 2'-6" H)								
326	1x5/8" Type X Glass Mat Sheathing One Side	25.0	SF	0%	25.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (35 LF & 2'-9" H)								
327	1x5/8" Type X Glass Mat Sheathing One Side	96.6	SF	0%	96.60	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (35 LF & 2'-6" H)								
328	1x5/8" Type X Glass Mat Sheathing One Side	87.5	SF	0%	87.50	\$ -	\$ -	\$ -	
	Wall Type 'EX5' (9 LF & 10'-6" H)								
329	2x5/8" Type X Glass Mat Sheathing One Side	189.0	SF	0%	189.00	\$ -	\$ -	\$ -	
	Wall Type 'EX6' (11 LF & 10'-6" H)								
330	2x5/8" Type X Glass Mat Sheathing Each Side	462.0	SF	0%	462.00	\$ -	\$ -	\$ -	
	2ND FLOOR								
	Wall Type 'EX1a' (52 LF & 10'-6" H)								
331	2x5/8" Type X Glass Mat Sheathing One Side	1092.0	SF	0%	1092.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (30 LF & 2'-9" H)								
332	2x5/8" Type X Glass Mat Sheathing One Side	165.6	SF	0%	165.60	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (30 LF & 2'-6" H)								
333	2x5/8" Type X Glass Mat Sheathing One Side	150.0	SF	0%	150.00	\$ -	\$ -	\$ -	
	Wall Type 'EX2' (11 LF & 10'-6" H)								
334	2x5/8" Type X Glass Mat Sheathing One Side	231.0	SF	0%	231.00	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
	Wall Type 'EX3' (34 LF & 10'-6" H)								
335	1x5/8" Type X Glass Mat Sheathing One Side	357.0	SF	0%	357.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (7 LF & 2'-6" H)								
336	1x5/8" Type X Glass Mat Sheathing One Side	17.5	SF	0%	17.50	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (32 LF & 2'-9" H)								
337	1x5/8" Type X Glass Mat Sheathing One Side	88.3	SF	0%	88.32	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (32 LF & 2'-6" H)								
338	1x5/8" Type X Glass Mat Sheathing One Side	80.0	SF	0%	80.00	\$ -	\$ -	\$ -	
	Wall Type 'EX5' (9 LF & 10'-6" H)								
339	2x5/8" Type X Glass Mat Sheathing One Side	189.0	SF	0%	189.00	\$ -	\$ -	\$ -	
	3RD FLOOR								
	Wall Type 'EX1a' (52 LF & 10'-6" H)								
340	2x5/8" Type X Glass Mat Sheathing One Side	1092.0	SF	0%	1092.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (30 LF & 2'-9" H)								
341	2x5/8" Type X Glass Mat Sheathing One Side	165.6	SF	0%	165.60	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (30 LF & 2'-6" H)								
342	2x5/8" Type X Glass Mat Sheathing One Side	150.0	SF	0%	150.00	\$ -	\$ -	\$ -	
	Wall Type 'EX2' (11 LF & 10'-6" H)								
343	2x5/8" Type X Glass Mat Sheathing One Side	231.0	SF	0%	231.00	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (34 LF & 10'-6" H)								
344	1x5/8" Type X Glass Mat Sheathing One Side	357.0	SF	0%	357.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (7 LF & 2'-6" H)								
345	1x5/8" Type X Glass Mat Sheathing One Side	17.5	SF	0%	17.50	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (32 LF & 2'-9" H)								
346	1x5/8" Type X Glass Mat Sheathing One Side	88.3	SF	0%	88.32	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (32 LF & 2'-6" H)								
347	1x5/8" Type X Glass Mat Sheathing One Side	80.0	SF	0%	80.00	\$ -	\$ -	\$ -	
	Wall Type 'EX5' (9 LF & 10'-6" H)								
348	2x5/8" Type X Glass Mat Sheathing One Side	189.0	SF	0%	189.00	\$ -	\$ -	\$ -	
	FOURTH FLOOR								
	Wall Type 'EX1a' (52 LF & 11'-4" H)								
349	2x5/8" Type X Glass Mat Sheathing One Side	1178.3	SF	0%	1178.32	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (27 LF & 1'-2" H)								
350	2x5/8" Type X Glass Mat Sheathing One Side	62.6	SF	0%	62.64	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (27 LF & 3'-4" H)								
351	2x5/8" Type X Glass Mat Sheathing One Side	179.8	SF	0%	179.82	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (27 LF & 14'-10" H)								
352	2x5/8" Type X Glass Mat Sheathing One Side	801.4	SF	0%	801.36	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (29 LF & 15'-10" H)								
353	2x5/8" Type X Glass Mat Sheathing One Side	918.7	SF	0%	918.72	\$ -	\$ -	\$ -	
	Wall Type 'EX1a-W' (13 LF & 14'-10" H)								
354	2x5/8" Type X Glass Mat Sheathing One Side	385.8	SF	0%	385.84	\$ -	\$ -	\$ -	
	Wall Type 'EX1a-W' (9 LF & 15'-10" H)								
355	2x5/8" Type X Glass Mat Sheathing One Side	285.1	SF	0%	285.12	\$ -	\$ -	\$ -	
	Wall Type 'EX2' (14 LF & 11'-4" H)								
356	2x5/8" Type X Glass Mat Sheathing One Side	317.2	SF	0%	317.24	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (36 LF & 11'-4" H)								
357	1x5/8" Type X Glass Mat Sheathing One Side	407.9	SF	0%	407.88	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (29 LF & 1'-2" H)								
358	1x5/8" Type X Glass Mat Sheathing One Side	33.6	SF	0%	33.64	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (29 LF & 3'-4" H)								
359	1x5/8" Type X Glass Mat Sheathing One Side	96.6	SF	0%	96.57	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (10 LF & 3'-4" H)								
360	1x5/8" Type X Glass Mat Sheathing One Side	33.3	SF	0%	33.30	\$ -	\$ -	\$ -	
	Wall Type 'EX5' (8 LF & 11'-4" H)								
361	2x5/8" Type X Glass Mat Sheathing One Side	181.3	SF	0%	181.28	\$ -	\$ -	\$ -	
	PENTHOUSE FLOOR								
	Wall Type 'EX1a' (94 LF & 10'-6" H)								
362	2x5/8" Type X Glass Mat Sheathing One Side	1974.0	SF	0%	1974.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (16 LF & 1'-6" H)								
363	2x5/8" Type X Glass Mat Sheathing One Side	48.0	SF	0%	48.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (25 LF & 1'-8" H)								
364	2x5/8" Type X Glass Mat Sheathing One Side	83.5	SF	0%	83.50	\$ -	\$ -	\$ -	
	Wall Type 'EX1b' (38 LF & 10'-6" H)								
365	2x5/8" Type X Glass Mat Sheathing One Side	798.0	SF	0%	798.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1b' (19 LF & 1'-6" H)								
366	2x5/8" Type X Glass Mat Sheathing One Side	57.0	SF	0%	57.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1b' (25 LF & 1'-8" H)								
367	2x5/8" Type X Glass Mat Sheathing One Side	83.5	SF	0%	83.50	\$ -	\$ -	\$ -	
	Wall Type 'EX6' (140 LF & 3'-6" H)								
368	2x5/8" Type X Glass Mat Sheathing Each Side	1960.0	SF	0%	1960.00	\$ -	\$ -	\$ -	
	Wall Type 'EX6' (72 LF & 4'-6" H)								
369	2x5/8" Type X Glass Mat Sheathing Each Side	1296.0	SF	0%	1296.00	\$ -	\$ -	\$ -	
	ROOF								
	Wall Type 'EX6' (180 LF & 2'-0" H)								
370	2x5/8" Type X Glass Mat Sheathing Each Side	1440.0	SF	0%	1440.00	\$ -	\$ -	\$ -	
	CEILING								
	CELLAR FLOOR								
371	3x5/8" Glass Mat Sheathing Type X Applied Hor. Ceiling	1311.0	SF	0%	1311.00	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
	FIRST FLOOR								
372	3x5/8" Glass Mat Sheathing Type X Applied Hor. Ceiling	1683.0	SF	0%	1683.00	\$ -	\$ -	\$ -	
	2ND FLOOR								
373	3x5/8" Glass Mat Sheathing Type X Applied Hor. Ceiling	534.0	SF	0%	534.00	\$ -	\$ -	\$ -	
	3RD FLOOR								
374	3x5/8" Glass Mat Sheathing Type X Applied Hor. Ceiling	534.0	SF	0%	534.00	\$ -	\$ -	\$ -	
	FOURTH FLOOR								
375	3x5/8" Glass Mat Sheathing Type X Applied Hor. Ceiling	348.0	SF	0%	348.00	\$ -	\$ -	\$ -	
Sub Total									\$0

DIVISION 07 - THERMAL & MOISTURE PROTECTION

WALL INSULATION									
	CELLAR FLOOR								
	Wall Type 'C1' (75 LF & 10'-6" H)								
376	Fibreglass Batt Insulation For Sound	787.5	SF	0%	787.50	\$ -	\$ -	\$ -	
	Wall Type 'C2' (101 LF & 9'-1" H)								
377	Fibreglass Batt Insulation For Sound	918.1	SF	0%	918.09	\$ -	\$ -	\$ -	
	Wall Type 'C2-W' (22 LF & 9'-1" H)								
378	Fibreglass Batt Insulation For Sound	200.0	SF	0%	199.98	\$ -	\$ -	\$ -	
	Wall Type 'C3' (40 LF & 9'-1" H)								
379	Fibreglass Batt Insulation For Sound	363.6	SF	0%	363.60	\$ -	\$ -	\$ -	
	Wall Type 'D1' (32 LF & 9'-1" H)								
380	Fibreglass Batt Insulation For Sound	290.9	SF	0%	290.88	\$ -	\$ -	\$ -	
	Wall Type 'D1-W' (6 LF & 9'-1" H)								
381	Fibreglass Batt Insulation For Sound	54.5	SF	0%	54.54	\$ -	\$ -	\$ -	
	Wall Type 'F1' (8 LF & 9'-1" H)								
382	3 1/2" Fibreglass Insulation	72.7	SF	0%	72.72	\$ -	\$ -	\$ -	
	Wall Type 'F1' (13 LF & 10'-6" H)								
383	3 1/2" Fibreglass Insulation	136.5	SF	0%	136.50	\$ -	\$ -	\$ -	
	Wall Type 'F1-W' (6 LF & 9'-1" H)								
384	3 1/2" Fibreglass Insulation	54.5	SF	0%	54.54	\$ -	\$ -	\$ -	
	Wall Type 'F2-W' (39 LF & 9'-1" H)								
385	5 1/2" Fibreglass Insulation	354.5	SF	0%	354.51	\$ -	\$ -	\$ -	
	Wall Type 'P1' (155 LF & 9'-1" H)								
386	3 1/2" Fibreglass Insulation	1409.0	SF	0%	1408.95	\$ -	\$ -	\$ -	
	Wall Type 'P1-W' (106 LF & 9'-1" H)								
387	3 1/2" Fibreglass Insulation	963.5	SF	0%	963.54	\$ -	\$ -	\$ -	
	Wall Type 'P1-WW' (24 LF & 9'-1" H)								
388	3 1/2" Fibreglass Insulation	218.2	SF	0%	218.16	\$ -	\$ -	\$ -	
	Wall Type 'P2-W' (17 LF & 9'-1" H)								
389	5 1/2" Fibreglass Insulation	154.5	SF	0%	154.53	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (78 LF & 1'-9" H)								
390	3 1/2" Fibreglass Insulation Min R-15	137.3	SF	0%	137.28	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (78 LF & 2'-0" H)								
391	3 1/2" Fibreglass Insulation Min R-15	156.0	SF	0%	156.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (19 LF & 10'-6" H)								
392	3 1/2" Fibreglass Insulation Min R-15	199.5	SF	0%	199.50	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (18 LF & 10'-6" H)								
393	5 1/2" Fibreglass Insulation Min R-15	189.0	SF	0%	189.00	\$ -	\$ -	\$ -	
	FIRST FLOOR								
	Wall Type 'C1' (123 LF & 9'-1" H)								
394	Fibreglass Batt Insulation For Sound	1118.1	SF	0%	1118.07	\$ -	\$ -	\$ -	
	Wall Type 'C1' (60 LF & 10'-6" H)								
395	Fibreglass Batt Insulation For Sound	630.0	SF	0%	630.00	\$ -	\$ -	\$ -	
	Wall Type 'C1-W' (14 LF & 9'-1" H)								
396	Fibreglass Batt Insulation For Sound	127.4	SF	0%	127.40	\$ -	\$ -	\$ -	
	Wall Type 'D1' (22 LF & 9'-1" H)								
397	Fibreglass Batt Insulation For Sound	200.0	SF	0%	199.98	\$ -	\$ -	\$ -	
	Wall Type 'D1-W' (16 LF & 9'-1" H)								
398	Fibreglass Batt Insulation For Sound	145.4	SF	0%	145.44	\$ -	\$ -	\$ -	
	Wall Type 'F1' (13 LF & 10'-6" H)								
399	3 1/2" Fibreglass Insulation	136.5	SF	0%	136.50	\$ -	\$ -	\$ -	
	Wall Type 'F1' (26 LF & 9'-1" H)								
400	3 1/2" Fibreglass Insulation	236.3	SF	0%	236.34	\$ -	\$ -	\$ -	
	Wall Type 'F1-W' (46 LF & 9'-1" H)								
401	3 1/2" Fibreglass Insulation	418.1	SF	0%	418.14	\$ -	\$ -	\$ -	
	Wall Type 'F2-W' (7 LF & 9'-1" H)								
402	5 1/2" Fibreglass Insulation	63.6	SF	0%	63.63	\$ -	\$ -	\$ -	
	Wall Type 'P1' (139 LF & 9'-1" H)								
403	3 1/2" Fibreglass Insulation	1263.5	SF	0%	1263.51	\$ -	\$ -	\$ -	
	Wall Type 'P1-W' (122 LF & 9'-1" H)								
404	3 1/2" Fibreglass Insulation	1109.0	SF	0%	1108.98	\$ -	\$ -	\$ -	
	Wall Type 'P1-WW' (12 LF & 9'-1" H)								
405	3 1/2" Fibreglass Insulation	109.1	SF	0%	109.08	\$ -	\$ -	\$ -	
	Wall Type 'P2-W' (14 LF & 9'-1" H)								
406	5 1/2" Fibreglass Insulation	127.3	SF	0%	127.26	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (85 LF & 10'-6" H)								
407	3 1/2" Fibreglass Insulation Min R-15	892.5	SF	0%	892.50	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
447	3 1/2" Fibreglass Insulation Wall Type 'F1' (23 LF & 9'-1" H)	136.5	SF	0%	136.50	\$ -	\$ -	\$ -	
448	3 1/2" Fibreglass Insulation Wall Type 'F2-W' (39 LF & 9'-1" H)	209.1	SF	0%	209.07	\$ -	\$ -	\$ -	
449	5 1/2" Fibreglass Insulation Wall Type 'P1' (181 LF & 9'-1" H)	354.5	SF	0%	354.51	\$ -	\$ -	\$ -	
450	3 1/2" Fibreglass Insulation Wall Type 'P1-W' (120 LF & 9'-1" H)	1645.3	SF	0%	1645.29	\$ -	\$ -	\$ -	
451	3 1/2" Fibreglass Insulation Wall Type 'P1-WW' (24 LF & 9'-1" H)	1090.8	SF	0%	1090.80	\$ -	\$ -	\$ -	
452	3 1/2" Fibreglass Insulation Wall Type 'P2-W' (17 LF & 9'-1" H)	218.2	SF	0%	218.16	\$ -	\$ -	\$ -	
453	5 1/2" Fibreglass Insulation Wall Type 'EX1a' (52 LF & 10'-6" H)	154.5	SF	0%	154.53	\$ -	\$ -	\$ -	
454	3 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX1a' (30 LF & 2'-9" H)	546.0	SF	0%	546.00	\$ -	\$ -	\$ -	
455	3 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX1a' (30 LF & 2'-6" H)	82.8	SF	0%	82.80	\$ -	\$ -	\$ -	
456	3 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX2' (11 LF & 10'-6" H)	75.0	SF	0%	75.00	\$ -	\$ -	\$ -	
457	5 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX3' (34 LF & 10'-6" H)	115.5	SF	0%	115.50	\$ -	\$ -	\$ -	
458	5 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX4' (7 LF & 2'-6" H)	357.0	SF	0%	357.00	\$ -	\$ -	\$ -	
459	5 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX4' (32 LF & 2'-9" H)	17.5	SF	0%	17.50	\$ -	\$ -	\$ -	
460	5 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX4' (32 LF & 2'-6" H)	88.3	SF	0%	88.32	\$ -	\$ -	\$ -	
461	5 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX5' (9 LF & 10'-6" H)	80.0	SF	0%	80.00	\$ -	\$ -	\$ -	
462	3 1/2" Fibreglass Insulation Min R-15	94.5	SF	0%	94.50	\$ -	\$ -	\$ -	
463	5 1/2" Fibreglass Insulation Min R-15	94.5	SF	0%	94.50	\$ -	\$ -	\$ -	
	FOURTH FLOOR								
	Wall Type 'C1' (4 LF & 11'-0" H)								
464	Fibreglass Batt Insulation For Sound Wall Type 'C1' (41 LF & 11'-6" H)	44.0	SF	0%	44.00	\$ -	\$ -	\$ -	
465	Fibreglass Batt Insulation For Sound Wall Type 'C1' (30 LF & 9'-1" H)	471.5	SF	0%	471.50	\$ -	\$ -	\$ -	
466	Fibreglass Batt Insulation For Sound Wall Type 'C2' (75 LF & 9'-1" H)	272.7	SF	0%	272.70	\$ -	\$ -	\$ -	
467	Fibreglass Batt Insulation For Sound Wall Type 'C2-W' (28 LF & 9'-1" H)	681.8	SF	0%	681.75	\$ -	\$ -	\$ -	
468	Fibreglass Batt Insulation For Sound Wall Type 'D1' (92 LF & 9'-1" H)	254.5	SF	0%	254.52	\$ -	\$ -	\$ -	
469	Fibreglass Batt Insulation For Sound Wall Type 'D1-W' (7 LF & 9'-1" H)	836.3	SF	0%	836.28	\$ -	\$ -	\$ -	
470	Fibreglass Batt Insulation For Sound Wall Type 'F1' (18 LF & 9'-1" H)	63.6	SF	0%	63.63	\$ -	\$ -	\$ -	
471	3 1/2" Fibreglass Insulation Wall Type 'F2-W' (22 LF & 9'-1" H)	163.6	SF	0%	163.62	\$ -	\$ -	\$ -	
472	5 1/2" Fibreglass Insulation Wall Type 'P1' (4 LF & 7'-6" H)	200.0	SF	0%	199.98	\$ -	\$ -	\$ -	
473	3 1/2" Fibreglass Insulation Wall Type 'P1' (67 LF & 9'-1" H)	30.0	SF	0%	30.00	\$ -	\$ -	\$ -	
474	3 1/2" Fibreglass Insulation Wall Type 'P1-W' (4 LF & 7'-6" H)	609.0	SF	0%	609.03	\$ -	\$ -	\$ -	
475	3 1/2" Fibreglass Insulation Wall Type 'P1-W' (117 LF & 9'-1" H)	30.0	SF	0%	30.00	\$ -	\$ -	\$ -	
476	3 1/2" Fibreglass Insulation Wall Type 'P1-WW' (15 LF & 9'-1" H)	1063.5	SF	0%	1063.53	\$ -	\$ -	\$ -	
477	3 1/2" Fibreglass Insulation Wall Type 'P2-W' (7 LF & 7'-6" H)	136.4	SF	0%	136.35	\$ -	\$ -	\$ -	
478	5 1/2" Fibreglass Insulation Wall Type 'P2-W' (24 LF & 9'-1" H)	52.5	SF	0%	52.50	\$ -	\$ -	\$ -	
479	5 1/2" Fibreglass Insulation Wall Type 'EX1a' (52 LF & 11'-4" H)	218.2	SF	0%	218.16	\$ -	\$ -	\$ -	
480	3 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX1a' (27 LF & 1'-2" H)	589.2	SF	0%	589.16	\$ -	\$ -	\$ -	
481	3 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX1a' (27 LF & 3'-4" H)	31.3	SF	0%	31.32	\$ -	\$ -	\$ -	
482	3 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX1a' (27 LF & 14'-10" H)	89.9	SF	0%	89.91	\$ -	\$ -	\$ -	
483	3 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX1a' (29 LF & 15'-10" H)	400.7	SF	0%	400.68	\$ -	\$ -	\$ -	
484	3 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX1a-W' (13 LF & 14'-10" H)	459.4	SF	0%	459.36	\$ -	\$ -	\$ -	
485	3 1/2" Fibreglass Insulation Min R-15 Wall Type 'EX1a-W' (9 LF & 15'-10" H)	192.9	SF	0%	192.92	\$ -	\$ -	\$ -	
486	3 1/2" Fibreglass Insulation Min R-15	142.6	SF	0%	142.56	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
524	Cont. Weather Barrier Min R-4.1 Each Side	231.0	SF	0%	231.00	\$ -	\$ -	\$ -	
	2ND FLOOR								
	Wall Type 'EX1a' (52 LF & 10'-6" H)								
525	Cont. Weather Barrier Min R-4.1	546.0	SF	0%	546.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (30 LF & 2'-9" H)								
526	Cont. Weather Barrier Min R-4.1	82.8	SF	0%	82.80	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (30 LF & 2'-6" H)								
527	Cont. Weather Barrier Min R-4.1	75.0	SF	0%	75.00	\$ -	\$ -	\$ -	
	Wall Type 'EX2' (11 LF & 10'-6" H)								
528	Cont. Weather Barrier Min R-4.1	115.5	SF	0%	115.50	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (34 LF & 10'-6" H)								
529	Cont. Weather Barrier Min R-4.1	357.0	SF	0%	357.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (7 LF & 2'-6" H)								
530	Cont. Weather Barrier Min R-4.1	17.5	SF	0%	17.50	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (32 LF & 2'-9" H)								
531	Cont. Weather Barrier Min R-4.1	88.3	SF	0%	88.32	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (32 LF & 2'-6" H)								
532	Cont. Weather Barrier Min R-4.1	80.0	SF	0%	80.00	\$ -	\$ -	\$ -	
	Wall Type 'EX5' (9 LF & 10'-6" H)								
533	Cont. Weather Barrier Min R-4.1	94.5	SF	0%	94.50	\$ -	\$ -	\$ -	
	3RD FLOOR								
	Wall Type 'EX1a' (52 LF & 10'-6" H)								
534	Cont. Weather Barrier Min R-4.1	546.0	SF	0%	546.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (30 LF & 2'-9" H)								
535	Cont. Weather Barrier Min R-4.1	82.8	SF	0%	82.80	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (30 LF & 2'-6" H)								
536	Cont. Weather Barrier Min R-4.1	75.0	SF	0%	75.00	\$ -	\$ -	\$ -	
	Wall Type 'EX2' (11 LF & 10'-6" H)								
537	Cont. Weather Barrier Min R-4.1	115.5	SF	0%	115.50	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (34 LF & 10'-6" H)								
538	Cont. Weather Barrier Min R-4.1	357.0	SF	0%	357.00	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (7 LF & 2'-6" H)								
539	Cont. Weather Barrier Min R-4.1	17.5	SF	0%	17.50	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (32 LF & 2'-9" H)								
540	Cont. Weather Barrier Min R-4.1	88.3	SF	0%	88.32	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (32 LF & 2'-6" H)								
541	Cont. Weather Barrier Min R-4.1	80.0	SF	0%	80.00	\$ -	\$ -	\$ -	
	Wall Type 'EX5' (9 LF & 10'-6" H)								
542	Cont. Weather Barrier Min R-4.1	94.5	SF	0%	94.50	\$ -	\$ -	\$ -	
	FOURTH FLOOR								
	Wall Type 'EX1a' (52 LF & 11'-4" H)								
543	Cont. Weather Barrier Min R-4.1	589.2	SF	0%	589.16	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (27 LF & 1'-2" H)								
544	Cont. Weather Barrier Min R-4.1	31.3	SF	0%	31.32	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (27 LF & 3'-4" H)								
545	Cont. Weather Barrier Min R-4.1	89.9	SF	0%	89.91	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (27 LF & 14'-10" H)								
546	Cont. Weather Barrier Min R-4.1	400.7	SF	0%	400.68	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (29 LF & 15'-10" H)								
547	Cont. Weather Barrier Min R-4.1	459.4	SF	0%	459.36	\$ -	\$ -	\$ -	
	Wall Type 'EX1a-W' (13 LF & 14'-10" H)								
548	Cont. Weather Barrier Min R-4.1	192.9	SF	0%	192.92	\$ -	\$ -	\$ -	
	Wall Type 'EX1a-W' (9 LF & 15'-10" H)								
549	Cont. Weather Barrier Min R-4.1	142.6	SF	0%	142.56	\$ -	\$ -	\$ -	
	Wall Type 'EX2' (14 LF & 11'-4" H)								
550	Cont. Weather Barrier Min R-4.1	158.6	SF	0%	158.62	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (36 LF & 11'-4" H)								
551	Cont. Weather Barrier Min R-4.1	407.9	SF	0%	407.88	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (29 LF & 1'-2" H)								
552	Cont. Weather Barrier Min R-4.1	33.6	SF	0%	33.64	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (29 LF & 3'-4" H)								
553	Cont. Weather Barrier Min R-4.1	96.6	SF	0%	96.57	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (10 LF & 3'-4" H)								
554	Cont. Weather Barrier Min R-4.1	33.3	SF	0%	33.30	\$ -	\$ -	\$ -	
	Wall Type 'EX5' (8 LF & 11'-4" H)								
555	Cont. Weather Barrier Min R-4.1	90.6	SF	0%	90.64	\$ -	\$ -	\$ -	
	PENTHOUSE FLOOR								
	Wall Type 'EX1a' (94 LF & 10'-6" H)								
556	Cont. Weather Barrier Min R-4.1	987.0	SF	0%	987.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (16 LF & 1'-6" H)								
557	Cont. Weather Barrier Min R-4.1	24.0	SF	0%	24.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (25 LF & 1'-8" H)								
558	Cont. Weather Barrier Min R-4.1	41.8	SF	0%	41.75	\$ -	\$ -	\$ -	
	Wall Type 'EX1b' (38 LF & 10'-6" H)								
559	Cont. Weather Barrier Min R-4.1	399.0	SF	0%	399.00	\$ -	\$ -	\$ -	
	Wall Type 'EX1b' (19 LF & 1'-6" H)								
560	Cont. Weather Barrier Min R-4.1	28.5	SF	0%	28.50	\$ -	\$ -	\$ -	
	Wall Type 'EX1b' (25 LF & 1'-8" H)								
561	Cont. Weather Barrier Min R-4.1	41.8	SF	0%	41.75	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
	Wall Type 'EX6' (140 LF & 3'-6" H)								
562	Cont. Weather Barrier Min R-4.1 Each Side	980.0	SF	0%	980.00	\$ -	\$ -	\$ -	
	Wall Type 'EX6' (72 LF & 4'-6" H)								
563	Cont. Weather Barrier Min R-4.1 Each Side	648.0	SF	0%	648.00	\$ -	\$ -	\$ -	
	ROOF								
	Wall Type 'EX6' (180 LF & 2'-0" H)								
564	Cont. Weather Barrier Min R-4.1 Each Side	720.0	SF	0%	720.00	\$ -	\$ -	\$ -	
Sub Total									\$0

DIVISION 09 - FINISHES

SHEETROCK									
WALLS									
CELLAR FLOOR									
	Wall Type 'C1' (75 LF & 10'-6" H)								
565	2x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 99 EA	3150.0	SF	0%	3150.00	\$ -	\$ -	\$ -	
566	Tapping	37800.0	LF	0%	37800.00	\$ -	\$ -	\$ -	
567	Fireseal Caulking	300.0	LF	0%	300.00	\$ -	\$ -	\$ -	
568	No.of Screws	4752.0	EA	0%	4752.00	\$ -	\$ -	\$ -	
569	Joint Compound	167.0	LBS	0%	166.95	\$ -	\$ -	\$ -	
	Wall Type 'C2' (101 LF & 9'-1" H)								
570	1x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 58 EA	1836.2	SF	0%	1836.18	\$ -	\$ -	\$ -	
571	Tapping	22034.2	LF	0%	22034.16	\$ -	\$ -	\$ -	
572	Fireseal Caulking	404.0	LF	0%	404.00	\$ -	\$ -	\$ -	
573	No.of Screws	2784.0	EA	0%	2784.00	\$ -	\$ -	\$ -	
574	Joint Compound	97.3	LBS	0%	97.32	\$ -	\$ -	\$ -	
	Wall Type 'C2-W' (22 LF & 9'-1" H)								
575	1x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 7 EA	200.0	SF	0%	199.98	\$ -	\$ -	\$ -	
576	1x5/8" Type X Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 7 EA	200.0	SF	0%	199.98	\$ -	\$ -	\$ -	
577	Tapping	4799.5	LF	0%	4799.52	\$ -	\$ -	\$ -	
578	Fireseal Caulking	88.0	LF	0%	88.00	\$ -	\$ -	\$ -	
579	No.of Screws	672.0	EA	0%	672.00	\$ -	\$ -	\$ -	
580	Joint Compound	21.2	LBS	0%	21.20	\$ -	\$ -	\$ -	
	Wall Type 'C3' (40 LF & 9'-1" H)								
581	1x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 23 EA	727.2	SF	0%	727.20	\$ -	\$ -	\$ -	
582	Tapping	8726.4	LF	0%	8726.40	\$ -	\$ -	\$ -	
583	Fireseal Caulking	160.0	LF	0%	160.00	\$ -	\$ -	\$ -	
584	No.of Screws	1104.0	EA	0%	1104.00	\$ -	\$ -	\$ -	
585	Joint Compound	38.5	LBS	0%	38.54	\$ -	\$ -	\$ -	
	Wall Type 'D1' (32 LF & 9'-1" H)								
586	1x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 19 EA	581.8	SF	0%	581.76	\$ -	\$ -	\$ -	
587	Tapping	6981.1	LF	0%	6981.12	\$ -	\$ -	\$ -	
588	Fireseal Caulking	128.0	LF	0%	128.00	\$ -	\$ -	\$ -	
589	No.of Screws	912.0	EA	0%	912.00	\$ -	\$ -	\$ -	
590	Joint Compound	30.8	LBS	0%	30.83	\$ -	\$ -	\$ -	
	Wall Type 'D1-W' (6 LF & 9'-1" H)								
591	1x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	54.5	SF	0%	54.54	\$ -	\$ -	\$ -	
592	1x5/8" Type X Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	54.5	SF	0%	54.54	\$ -	\$ -	\$ -	
593	Tapping	1309.0	LF	0%	1308.96	\$ -	\$ -	\$ -	
594	Fireseal Caulking	24.0	LF	0%	24.00	\$ -	\$ -	\$ -	
595	No.of Screws	192.0	EA	0%	192.00	\$ -	\$ -	\$ -	
596	Joint Compound	5.8	LBS	0%	5.78	\$ -	\$ -	\$ -	
	Wall Type 'F1' (8 LF & 9'-1" H)								
597	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 3 EA	72.7	SF	0%	72.72	\$ -	\$ -	\$ -	
598	Tapping	872.6	LF	0%	872.64	\$ -	\$ -	\$ -	
599	Acoustic Caulking	16.0	LF	0%	16.00	\$ -	\$ -	\$ -	
600	No.of Screws	144.0	EA	0%	144.00	\$ -	\$ -	\$ -	
601	Joint Compound	3.9	LBS	0%	3.85	\$ -	\$ -	\$ -	
	Wall Type 'F1' (13 LF & 10'-6" H)								
602	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 5 EA	136.5	SF	0%	136.50	\$ -	\$ -	\$ -	
603	Tapping	1638.0	LF	0%	1638.00	\$ -	\$ -	\$ -	
604	Acoustic Caulking	26.0	LF	0%	26.00	\$ -	\$ -	\$ -	
605	No.of Screws	240.0	EA	0%	240.00	\$ -	\$ -	\$ -	
606	Joint Compound	7.2	LBS	0%	7.23	\$ -	\$ -	\$ -	
	Wall Type 'F1-W' (6 LF & 9'-1" H)								
607	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	54.5	SF	0%	54.54	\$ -	\$ -	\$ -	
608	Tapping	654.5	LF	0%	654.48	\$ -	\$ -	\$ -	
609	Acoustic Caulking	12.0	LF	0%	12.00	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
610	No.of Screws	96.0	EA	0%	96.00	\$ -	\$ -	\$ -	
611	Joint Compound	2.9	LBS	0%	2.89	\$ -	\$ -	\$ -	
Wall Type 'F2-W' (39 LF & 9'-1" H)									
612	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 12 EA	354.5	SF	0%	354.51	\$ -	\$ -	\$ -	
613	Tapping	4254.1	LF	0%	4254.12	\$ -	\$ -	\$ -	
614	Acoustic Caulking	78.0	LF	0%	78.00	\$ -	\$ -	\$ -	
615	No.of Screws	576.0	EA	0%	576.00	\$ -	\$ -	\$ -	
616	Joint Compound	18.8	LBS	0%	18.79	\$ -	\$ -	\$ -	
Wall Type 'F3' (68 LF & 9'-1" H)									
617	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 20 EA	618.1	SF	0%	618.12	\$ -	\$ -	\$ -	
618	Tapping	7417.4	LF	0%	7417.44	\$ -	\$ -	\$ -	
619	Acoustic Caulking	136.0	LF	0%	136.00	\$ -	\$ -	\$ -	
620	No.of Screws	960.0	EA	0%	960.00	\$ -	\$ -	\$ -	
621	Joint Compound	32.8	LBS	0%	32.76	\$ -	\$ -	\$ -	
Wall Type 'F3-W' (16 LF & 9'-1" H)									
622	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 5 EA	145.4	SF	0%	145.44	\$ -	\$ -	\$ -	
623	Tapping	1745.3	LF	0%	1745.28	\$ -	\$ -	\$ -	
624	Acoustic Caulking	32.0	LF	0%	32.00	\$ -	\$ -	\$ -	
625	No.of Screws	240.0	EA	0%	240.00	\$ -	\$ -	\$ -	
626	Joint Compound	7.7	LBS	0%	7.71	\$ -	\$ -	\$ -	
Wall Type 'P1' (155 LF & 9'-1" H)									
627	1x5/8" Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 89 EA	2817.9	SF	0%	2817.90	\$ -	\$ -	\$ -	
628	Tapping	33814.8	LF	0%	33814.80	\$ -	\$ -	\$ -	
629	Fireseal Caulking	620.0	LF	0%	620.00	\$ -	\$ -	\$ -	
630	No.of Screws	4272.0	EA	0%	4272.00	\$ -	\$ -	\$ -	
631	Joint Compound	149.3	LBS	0%	149.35	\$ -	\$ -	\$ -	
Wall Type 'P1-W' (106 LF & 9'-1" H)									
632	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 31 EA	963.5	SF	0%	963.54	\$ -	\$ -	\$ -	
633	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 31 EA	963.5	SF	0%	963.54	\$ -	\$ -	\$ -	
634	Tapping	23125.0	LF	0%	23124.96	\$ -	\$ -	\$ -	
635	Fireseal Caulking	424.0	LF	0%	424.00	\$ -	\$ -	\$ -	
636	No.of Screws	2976.0	EA	0%	2976.00	\$ -	\$ -	\$ -	
637	Joint Compound	102.1	LBS	0%	102.14	\$ -	\$ -	\$ -	
Wall Type 'P1-WW' (24 LF & 9'-1" H)									
638	1x5/8" Moisture & Mildew Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 14 EA	436.3	SF	0%	436.32	\$ -	\$ -	\$ -	
639	Tapping	5235.8	LF	0%	5235.84	\$ -	\$ -	\$ -	
640	Fireseal Caulking	96.0	LF	0%	96.00	\$ -	\$ -	\$ -	
641	No.of Screws	672.0	EA	0%	672.00	\$ -	\$ -	\$ -	
642	Joint Compound	23.1	LBS	0%	23.12	\$ -	\$ -	\$ -	
Wall Type 'P2-W' (17 LF & 9'-1" H)									
643	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 5 EA	154.5	SF	0%	154.53	\$ -	\$ -	\$ -	
644	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 5 EA	154.5	SF	0%	154.53	\$ -	\$ -	\$ -	
645	Tapping	3708.7	LF	0%	3708.72	\$ -	\$ -	\$ -	
646	Fireseal Caulking	68.0	LF	0%	68.00	\$ -	\$ -	\$ -	
647	No.of Screws	480.0	EA	0%	480.00	\$ -	\$ -	\$ -	
648	Joint Compound	16.4	LBS	0%	16.38	\$ -	\$ -	\$ -	
Wall Type 'EX1a' (78 LF & 1'-9" H)									
649	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 9 EA	274.6	SF	0%	274.56	\$ -	\$ -	\$ -	
650	Tapping	3294.7	LF	0%	3294.72	\$ -	\$ -	\$ -	
651	Fireseal Caulking	156.0	LF	0%	156.00	\$ -	\$ -	\$ -	
652	No.of Screws	432.0	EA	0%	432.00	\$ -	\$ -	\$ -	
653	Joint Compound	14.6	LBS	0%	14.55	\$ -	\$ -	\$ -	
Wall Type 'EX1a' (78 LF & 2'-0" H)									
654	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 10 EA	312.0	SF	0%	312.00	\$ -	\$ -	\$ -	
655	Tapping	3744.0	LF	0%	3744.00	\$ -	\$ -	\$ -	
656	Fireseal Caulking	156.0	LF	0%	156.00	\$ -	\$ -	\$ -	
657	No.of Screws	480.0	EA	0%	480.00	\$ -	\$ -	\$ -	
658	Joint Compound	16.5	LBS	0%	16.54	\$ -	\$ -	\$ -	
Wall Type 'EX1a' (19 LF & 10'-6" H)									
659	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 13 EA	399.0	SF	0%	399.00	\$ -	\$ -	\$ -	
660	Tapping	4788.0	LF	0%	4788.00	\$ -	\$ -	\$ -	
661	Fireseal Caulking	38.0	LF	0%	38.00	\$ -	\$ -	\$ -	
662	No.of Screws	624.0	EA	0%	624.00	\$ -	\$ -	\$ -	
663	Joint Compound	21.1	LBS	0%	21.15	\$ -	\$ -	\$ -	
Wall Type 'EX3' (18 LF & 10'-6" H)									
664	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 12 EA	378.0	SF	0%	378.00	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
665	Tapping	4536.0	LF	0%	4536.00	\$ -	\$ -	\$ -	
666	Fireseal Caulking	36.0	LF	0%	36.00	\$ -	\$ -	\$ -	
667	No.of Screws	576.0	EA	0%	576.00	\$ -	\$ -	\$ -	
668	Joint Compound	20.0	LBS	0%	20.03	\$ -	\$ -	\$ -	
FIRST FLOOR									
Wall Type 'C1' (123 LF & 9'-1" H)									
669	2x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 140 EA	4472.3	SF	0%	4472.28	\$ -	\$ -	\$ -	
670	Tapping	53667.4	LF	0%	53667.36	\$ -	\$ -	\$ -	
671	Fireseal Caulking	492.0	LF	0%	492.00	\$ -	\$ -	\$ -	
672	No.of Screws	6720.0	EA	0%	6720.00	\$ -	\$ -	\$ -	
673	Joint Compound	237.0	LBS	0%	237.03	\$ -	\$ -	\$ -	
Wall Type 'C1' (60 LF & 10'-6" H)									
674	2x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 79 EA	2520.0	SF	0%	2520.00	\$ -	\$ -	\$ -	
675	Tapping	30240.0	LF	0%	30240.00	\$ -	\$ -	\$ -	
676	Fireseal Caulking	240.0	LF	0%	240.00	\$ -	\$ -	\$ -	
677	No.of Screws	3792.0	EA	0%	3792.00	\$ -	\$ -	\$ -	
678	Joint Compound	133.6	LBS	0%	133.56	\$ -	\$ -	\$ -	
Wall Type 'C1-W' (14 LF & 9'-1" H)									
679	1x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 4 EA	127.3	SF	0%	127.26	\$ -	\$ -	\$ -	
680	1x5/8" Type X Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 4 EA	127.3	SF	0%	127.26	\$ -	\$ -	\$ -	
681	Tapping	3054.2	LF	0%	3054.24	\$ -	\$ -	\$ -	
682	Fireseal Caulking	56.0	LF	0%	56.00	\$ -	\$ -	\$ -	
683	No.of Screws	384.0	EA	0%	384.00	\$ -	\$ -	\$ -	
684	Joint Compound	13.5	LBS	0%	13.49	\$ -	\$ -	\$ -	
Wall Type 'D1' (22 LF & 9'-1" H)									
685	1x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 13 EA	400.0	SF	0%	399.96	\$ -	\$ -	\$ -	
686	Tapping	4799.5	LF	0%	4799.52	\$ -	\$ -	\$ -	
687	Fireseal Caulking	88.0	LF	0%	88.00	\$ -	\$ -	\$ -	
688	No.of Screws	624.0	EA	0%	624.00	\$ -	\$ -	\$ -	
689	Joint Compound	21.2	LBS	0%	21.20	\$ -	\$ -	\$ -	
Wall Type 'D1-W' (16 LF & 9'-1" H)									
690	1x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 5 EA	145.4	SF	0%	145.44	\$ -	\$ -	\$ -	
691	1x5/8" Type X Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 5 EA	145.4	SF	0%	145.44	\$ -	\$ -	\$ -	
692	Tapping	3490.6	LF	0%	3490.56	\$ -	\$ -	\$ -	
693	Fireseal Caulking	64.0	LF	0%	64.00	\$ -	\$ -	\$ -	
694	No.of Screws	480.0	EA	0%	480.00	\$ -	\$ -	\$ -	
695	Joint Compound	15.4	LBS	0%	15.42	\$ -	\$ -	\$ -	
Wall Type 'F1' (13 LF & 10'-6" H)									
696	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 5 EA	136.5	SF	0%	136.50	\$ -	\$ -	\$ -	
697	Tapping	1638.0	LF	0%	1638.00	\$ -	\$ -	\$ -	
698	Acoustic Caulking	26.0	LF	0%	26.00	\$ -	\$ -	\$ -	
699	No.of Screws	240.0	EA	0%	240.00	\$ -	\$ -	\$ -	
700	Joint Compound	7.2	LBS	0%	7.23	\$ -	\$ -	\$ -	
Wall Type 'F1' (26 LF & 9'-1" H)									
701	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 8 EA	236.3	SF	0%	236.34	\$ -	\$ -	\$ -	
702	Tapping	2836.1	LF	0%	2836.08	\$ -	\$ -	\$ -	
703	Acoustic Caulking	52.0	LF	0%	52.00	\$ -	\$ -	\$ -	
704	No.of Screws	384.0	EA	0%	384.00	\$ -	\$ -	\$ -	
705	Joint Compound	12.5	LBS	0%	12.53	\$ -	\$ -	\$ -	
Wall Type 'F1-W' (46 LF & 9'-1" H)									
706	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 14 EA	418.1	SF	0%	418.14	\$ -	\$ -	\$ -	
707	Tapping	5017.7	LF	0%	5017.68	\$ -	\$ -	\$ -	
708	Acoustic Caulking	92.0	LF	0%	92.00	\$ -	\$ -	\$ -	
709	No.of Screws	672.0	EA	0%	672.00	\$ -	\$ -	\$ -	
710	Joint Compound	22.2	LBS	0%	22.16	\$ -	\$ -	\$ -	
Wall Type 'F2-W' (7 LF & 9'-1" H)									
711	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	63.6	SF	0%	63.63	\$ -	\$ -	\$ -	
712	Tapping	763.6	LF	0%	763.56	\$ -	\$ -	\$ -	
713	Acoustic Caulking	14.0	LF	0%	14.00	\$ -	\$ -	\$ -	
714	No.of Screws	96.0	EA	0%	96.00	\$ -	\$ -	\$ -	
715	Joint Compound	3.4	LBS	0%	3.37	\$ -	\$ -	\$ -	
Wall Type 'F3' (29 LF & 9'-1" H)									
716	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 9 EA	263.6	SF	0%	263.61	\$ -	\$ -	\$ -	
717	Tapping	3163.3	LF	0%	3163.32	\$ -	\$ -	\$ -	
718	Acoustic Caulking	58.0	LF	0%	58.00	\$ -	\$ -	\$ -	
719	No.of Screws	432.0	EA	0%	432.00	\$ -	\$ -	\$ -	
720	Joint Compound	14.0	LBS	0%	13.97	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
Wall Type 'F3-W' (12 LF & 9'-1" H)									
721	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 4 EA	109.1	SF	0%	109.08	\$ -	\$ -	\$ -	
722	Tapping	1309.0	LF	0%	1308.96	\$ -	\$ -	\$ -	
723	Acoustic Caulking	24.0	LF	0%	24.00	\$ -	\$ -	\$ -	
724	No.of Screws	192.0	EA	0%	192.00	\$ -	\$ -	\$ -	
725	Joint Compound	5.8	LBS	0%	5.78	\$ -	\$ -	\$ -	
Wall Type 'P1' (139 LF & 9'-1" H)									
726	1x5/8" Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 79 EA	2527.0	SF	0%	2527.02	\$ -	\$ -	\$ -	
727	Tapping	30324.2	LF	0%	30324.24	\$ -	\$ -	\$ -	
728	Fireseal Caulking	556.0	LF	0%	556.00	\$ -	\$ -	\$ -	
729	No.of Screws	3792.0	EA	0%	3792.00	\$ -	\$ -	\$ -	
730	Joint Compound	133.9	LBS	0%	133.93	\$ -	\$ -	\$ -	
Wall Type 'P1-W' (122 LF & 9'-1" H)									
731	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 35 EA	1109.0	SF	0%	1108.98	\$ -	\$ -	\$ -	
732	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 35 EA	1109.0	SF	0%	1108.98	\$ -	\$ -	\$ -	
733	Tapping	26615.5	LF	0%	26615.52	\$ -	\$ -	\$ -	
734	Fireseal Caulking	488.0	LF	0%	488.00	\$ -	\$ -	\$ -	
735	No.of Screws	3360.0	EA	0%	3360.00	\$ -	\$ -	\$ -	
736	Joint Compound	117.6	LBS	0%	117.55	\$ -	\$ -	\$ -	
Wall Type 'P1-WW' (12 LF & 9'-1" H)									
737	1x5/8" Moisture & Mildew Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 7 EA	218.2	SF	0%	218.16	\$ -	\$ -	\$ -	
738	Tapping	2617.9	LF	0%	2617.92	\$ -	\$ -	\$ -	
739	Fireseal Caulking	48.0	LF	0%	48.00	\$ -	\$ -	\$ -	
740	No.of Screws	336.0	EA	0%	336.00	\$ -	\$ -	\$ -	
741	Joint Compound	11.6	LBS	0%	11.56	\$ -	\$ -	\$ -	
Wall Type 'P2-W' (14 LF & 9'-1" H)									
742	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 4 EA	127.3	SF	0%	127.26	\$ -	\$ -	\$ -	
743	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 4 EA	127.3	SF	0%	127.26	\$ -	\$ -	\$ -	
744	Tapping	3054.2	LF	0%	3054.24	\$ -	\$ -	\$ -	
745	Fireseal Caulking	56.0	LF	0%	56.00	\$ -	\$ -	\$ -	
746	No.of Screws	384.0	EA	0%	384.00	\$ -	\$ -	\$ -	
747	Joint Compound	13.5	LBS	0%	13.49	\$ -	\$ -	\$ -	
Wall Type 'EX1a' (85 LF & 10'-6" H)									
748	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 56 EA	1785.0	SF	0%	1785.00	\$ -	\$ -	\$ -	
749	Tapping	21420.0	LF	0%	21420.00	\$ -	\$ -	\$ -	
750	Fireseal Caulking	170.0	LF	0%	170.00	\$ -	\$ -	\$ -	
751	No.of Screws	2688.0	EA	0%	2688.00	\$ -	\$ -	\$ -	
752	Joint Compound	94.6	LBS	0%	94.61	\$ -	\$ -	\$ -	
Wall Type 'EX1a' (34 LF & 2'-9" H)									
753	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 6 EA	187.7	SF	0%	187.68	\$ -	\$ -	\$ -	
754	Tapping	2252.2	LF	0%	2252.16	\$ -	\$ -	\$ -	
755	Fireseal Caulking	68.0	LF	0%	68.00	\$ -	\$ -	\$ -	
756	No.of Screws	288.0	EA	0%	288.00	\$ -	\$ -	\$ -	
757	Joint Compound	9.9	LBS	0%	9.95	\$ -	\$ -	\$ -	
Wall Type 'EX1a' (34 LF & 2'-6" H)									
758	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 6 EA	170.0	SF	0%	170.00	\$ -	\$ -	\$ -	
759	Tapping	2040.0	LF	0%	2040.00	\$ -	\$ -	\$ -	
760	Fireseal Caulking	68.0	LF	0%	68.00	\$ -	\$ -	\$ -	
761	No.of Screws	288.0	EA	0%	288.00	\$ -	\$ -	\$ -	
762	Joint Compound	9.0	LBS	0%	9.01	\$ -	\$ -	\$ -	
Wall Type 'EX1a-W' (6 LF & 10'-6" H)									
763	2x5/8" Type X Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 4 EA	126.0	SF	0%	126.00	\$ -	\$ -	\$ -	
764	Tapping	1512.0	LF	0%	1512.00	\$ -	\$ -	\$ -	
765	Fireseal Caulking	12.0	LF	0%	12.00	\$ -	\$ -	\$ -	
766	No.of Screws	192.0	EA	0%	192.00	\$ -	\$ -	\$ -	
767	Joint Compound	6.7	LBS	0%	6.68	\$ -	\$ -	\$ -	
Wall Type 'EX3' (29 LF & 10'-6" H)									
768	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 20 EA	609.0	SF	0%	609.00	\$ -	\$ -	\$ -	
769	Tapping	7308.0	LF	0%	7308.00	\$ -	\$ -	\$ -	
770	Fireseal Caulking	58.0	LF	0%	58.00	\$ -	\$ -	\$ -	
771	No.of Screws	960.0	EA	0%	960.00	\$ -	\$ -	\$ -	
772	Joint Compound	32.3	LBS	0%	32.28	\$ -	\$ -	\$ -	
Wall Type 'EX4' (10 LF & 2'-6" H)									
773	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	50.0	SF	0%	50.00	\$ -	\$ -	\$ -	
774	Tapping	600.0	LF	0%	600.00	\$ -	\$ -	\$ -	
775	Fireseal Caulking	20.0	LF	0%	20.00	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
830	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 7 EA	209.1	SF	0%	209.07	\$ -	\$ -	\$ -	
831	Tapping	2508.8	LF	0%	2508.84	\$ -	\$ -	\$ -	
832	Acoustic Caulking	46.0	LF	0%	46.00	\$ -	\$ -	\$ -	
833	No.of Screws	336.0	EA	0%	336.00	\$ -	\$ -	\$ -	
834	Joint Compound	11.1	LBS	0%	11.08	\$ -	\$ -	\$ -	
Wall Type 'F2-W' (39 LF & 9'-1" H)									
835	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 12 EA	354.5	SF	0%	354.51	\$ -	\$ -	\$ -	
836	Tapping	4254.1	LF	0%	4254.12	\$ -	\$ -	\$ -	
837	Acoustic Caulking	78.0	LF	0%	78.00	\$ -	\$ -	\$ -	
838	No.of Screws	576.0	EA	0%	576.00	\$ -	\$ -	\$ -	
839	Joint Compound	18.8	LBS	0%	18.79	\$ -	\$ -	\$ -	
Wall Type 'F3' (12 LF & 9'-1" H)									
840	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 4 EA	109.1	SF	0%	109.08	\$ -	\$ -	\$ -	
841	Tapping	1309.0	LF	0%	1308.96	\$ -	\$ -	\$ -	
842	Acoustic Caulking	24.0	LF	0%	24.00	\$ -	\$ -	\$ -	
843	No.of Screws	192.0	EA	0%	192.00	\$ -	\$ -	\$ -	
844	Joint Compound	5.8	LBS	0%	5.78	\$ -	\$ -	\$ -	
Wall Type 'F3-W' (16 LF & 9'-1" H)									
845	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 5 EA	145.4	SF	0%	145.44	\$ -	\$ -	\$ -	
846	Tapping	1745.3	LF	0%	1745.28	\$ -	\$ -	\$ -	
847	Acoustic Caulking	32.0	LF	0%	32.00	\$ -	\$ -	\$ -	
848	No.of Screws	240.0	EA	0%	240.00	\$ -	\$ -	\$ -	
849	Joint Compound	7.7	LBS	0%	7.71	\$ -	\$ -	\$ -	
Wall Type 'P1' (181 LF & 9'-1" H)									
850	1x5/8" Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 103 EA	3290.6	SF	0%	3290.58	\$ -	\$ -	\$ -	
851	Tapping	39487.0	LF	0%	39486.96	\$ -	\$ -	\$ -	
852	Fireseal Caulking	724.0	LF	0%	724.00	\$ -	\$ -	\$ -	
853	No.of Screws	4944.0	EA	0%	4944.00	\$ -	\$ -	\$ -	
854	Joint Compound	174.4	LBS	0%	174.40	\$ -	\$ -	\$ -	
Wall Type 'P1-W' (120 LF & 9'-1" H)									
855	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 35 EA	1090.8	SF	0%	1090.80	\$ -	\$ -	\$ -	
856	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 35 EA	1090.8	SF	0%	1090.80	\$ -	\$ -	\$ -	
857	Tapping	26179.2	LF	0%	26179.20	\$ -	\$ -	\$ -	
858	Fireseal Caulking	480.0	LF	0%	480.00	\$ -	\$ -	\$ -	
859	No.of Screws	3360.0	EA	0%	3360.00	\$ -	\$ -	\$ -	
860	Joint Compound	115.6	LBS	0%	115.62	\$ -	\$ -	\$ -	
Wall Type 'P1-WW' (24 LF & 9'-1" H)									
861	1x5/8" Moisture & Mildew Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 14 EA	436.3	SF	0%	436.32	\$ -	\$ -	\$ -	
862	Tapping	5235.8	LF	0%	5235.84	\$ -	\$ -	\$ -	
863	Fireseal Caulking	96.0	LF	0%	96.00	\$ -	\$ -	\$ -	
864	No.of Screws	672.0	EA	0%	672.00	\$ -	\$ -	\$ -	
865	Joint Compound	23.1	LBS	0%	23.12	\$ -	\$ -	\$ -	
Wall Type 'P2-W' (17 LF & 9'-1" H)									
866	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 5 EA	154.5	SF	0%	154.53	\$ -	\$ -	\$ -	
867	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 5 EA	154.5	SF	0%	154.53	\$ -	\$ -	\$ -	
868	Tapping	3708.7	LF	0%	3708.72	\$ -	\$ -	\$ -	
869	Fireseal Caulking	68.0	LF	0%	68.00	\$ -	\$ -	\$ -	
870	No.of Screws	480.0	EA	0%	480.00	\$ -	\$ -	\$ -	
871	Joint Compound	16.4	LBS	0%	16.38	\$ -	\$ -	\$ -	
Wall Type 'EX1a' (52 LF & 10'-6" H)									
872	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 35 EA	1092.0	SF	0%	1092.00	\$ -	\$ -	\$ -	
873	Tapping	13104.0	LF	0%	13104.00	\$ -	\$ -	\$ -	
874	Fireseal Caulking	104.0	LF	0%	104.00	\$ -	\$ -	\$ -	
875	No.of Screws	1680.0	EA	0%	1680.00	\$ -	\$ -	\$ -	
876	Joint Compound	57.9	LBS	0%	57.88	\$ -	\$ -	\$ -	
Wall Type 'EX1a' (30 LF & 2'-9" H)									
877	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 6 EA	165.6	SF	0%	165.60	\$ -	\$ -	\$ -	
878	Tapping	1987.2	LF	0%	1987.20	\$ -	\$ -	\$ -	
879	Fireseal Caulking	60.0	LF	0%	60.00	\$ -	\$ -	\$ -	
880	No.of Screws	288.0	EA	0%	288.00	\$ -	\$ -	\$ -	
881	Joint Compound	8.8	LBS	0%	8.78	\$ -	\$ -	\$ -	
Wall Type 'EX1a' (30 LF & 2'-6" H)									
882	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 5 EA	150.0	SF	0%	150.00	\$ -	\$ -	\$ -	
883	Tapping	1800.0	LF	0%	1800.00	\$ -	\$ -	\$ -	
884	Fireseal Caulking	60.0	LF	0%	60.00	\$ -	\$ -	\$ -	
885	No.of Screws	240.0	EA	0%	240.00	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
886	Joint Compound	8.0	LBS	0%	7.95	\$ -	\$ -	\$ -	
	Wall Type 'EX2' (11 LF & 10'-6" H)								
887	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 8 EA	231.0	SF	0%	231.00	\$ -	\$ -	\$ -	
888	Tapping	2772.0	LF	0%	2772.00	\$ -	\$ -	\$ -	
889	Fireseal Caulking	22.0	LF	0%	22.00	\$ -	\$ -	\$ -	
890	No.of Screws	384.0	EA	0%	384.00	\$ -	\$ -	\$ -	
891	Joint Compound	12.2	LBS	0%	12.24	\$ -	\$ -	\$ -	
	Wall Type 'EX3' (34 LF & 10'-6" H)								
892	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 23 EA	714.0	SF	0%	714.00	\$ -	\$ -	\$ -	
893	Tapping	8568.0	LF	0%	8568.00	\$ -	\$ -	\$ -	
894	Fireseal Caulking	68.0	LF	0%	68.00	\$ -	\$ -	\$ -	
895	No.of Screws	1104.0	EA	0%	1104.00	\$ -	\$ -	\$ -	
896	Joint Compound	37.8	LBS	0%	37.84	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (7 LF & 2'-6" H)								
897	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	35.0	SF	0%	35.00	\$ -	\$ -	\$ -	
898	Tapping	420.0	LF	0%	420.00	\$ -	\$ -	\$ -	
899	Fireseal Caulking	14.0	LF	0%	14.00	\$ -	\$ -	\$ -	
900	No.of Screws	96.0	EA	0%	96.00	\$ -	\$ -	\$ -	
901	Joint Compound	1.9	LBS	0%	1.86	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (32 LF & 2'-9" H)								
902	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 6 EA	176.6	SF	0%	176.64	\$ -	\$ -	\$ -	
903	Tapping	2119.7	LF	0%	2119.68	\$ -	\$ -	\$ -	
904	Fireseal Caulking	64.0	LF	0%	64.00	\$ -	\$ -	\$ -	
905	No.of Screws	288.0	EA	0%	288.00	\$ -	\$ -	\$ -	
906	Joint Compound	9.4	LBS	0%	9.36	\$ -	\$ -	\$ -	
	Wall Type 'EX4' (32 LF & 2'-6" H)								
907	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 5 EA	160.0	SF	0%	160.00	\$ -	\$ -	\$ -	
908	Tapping	1920.0	LF	0%	1920.00	\$ -	\$ -	\$ -	
909	Fireseal Caulking	64.0	LF	0%	64.00	\$ -	\$ -	\$ -	
910	No.of Screws	240.0	EA	0%	240.00	\$ -	\$ -	\$ -	
911	Joint Compound	8.5	LBS	0%	8.48	\$ -	\$ -	\$ -	
	Wall Type 'EX5' (9 LF & 10'-6" H)								
912	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 6 EA	189.0	SF	0%	189.00	\$ -	\$ -	\$ -	
913	Tapping	2268.0	LF	0%	2268.00	\$ -	\$ -	\$ -	
914	Fireseal Caulking	18.0	LF	0%	18.00	\$ -	\$ -	\$ -	
915	No.of Screws	288.0	EA	0%	288.00	\$ -	\$ -	\$ -	
916	Joint Compound	10.0	LBS	0%	10.02	\$ -	\$ -	\$ -	
	3RD FLOOR								
	Wall Type 'C1' (75 LF & 10'-6" H)								
917	2x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 99 EA	3150.0	SF	0%	3150.00	\$ -	\$ -	\$ -	
918	Tapping	37800.0	LF	0%	37800.00	\$ -	\$ -	\$ -	
919	Fireseal Caulking	300.0	LF	0%	300.00	\$ -	\$ -	\$ -	
920	No.of Screws	4752.0	EA	0%	4752.00	\$ -	\$ -	\$ -	
921	Joint Compound	167.0	LBS	0%	166.95	\$ -	\$ -	\$ -	
	Wall Type 'C2' (47 LF & 9'-1" H)								
922	1x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 27 EA	854.5	SF	0%	854.46	\$ -	\$ -	\$ -	
923	Tapping	10253.5	LF	0%	10253.52	\$ -	\$ -	\$ -	
924	Fireseal Caulking	188.0	LF	0%	188.00	\$ -	\$ -	\$ -	
925	No.of Screws	1296.0	EA	0%	1296.00	\$ -	\$ -	\$ -	
926	Joint Compound	45.3	LBS	0%	45.29	\$ -	\$ -	\$ -	
	Wall Type 'C2-W' (37 LF & 9'-1" H)								
927	1x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 11 EA	336.3	SF	0%	336.33	\$ -	\$ -	\$ -	
928	1x5/8" Type X Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 11 EA	336.3	SF	0%	336.33	\$ -	\$ -	\$ -	
929	Tapping	8071.9	LF	0%	8071.92	\$ -	\$ -	\$ -	
930	Fireseal Caulking	148.0	LF	0%	148.00	\$ -	\$ -	\$ -	
931	No.of Screws	1056.0	EA	0%	1056.00	\$ -	\$ -	\$ -	
932	Joint Compound	35.7	LBS	0%	35.65	\$ -	\$ -	\$ -	
	Wall Type 'D1' (54 LF & 9'-1" H)								
933	1x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 31 EA	981.7	SF	0%	981.72	\$ -	\$ -	\$ -	
934	Tapping	11780.6	LF	0%	11780.64	\$ -	\$ -	\$ -	
935	Fireseal Caulking	216.0	LF	0%	216.00	\$ -	\$ -	\$ -	
936	No.of Screws	1488.0	EA	0%	1488.00	\$ -	\$ -	\$ -	
937	Joint Compound	52.0	LBS	0%	52.03	\$ -	\$ -	\$ -	
	Wall Type 'D1-W' (6 LF & 9'-1" H)								
938	1x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	54.5	SF	0%	54.54	\$ -	\$ -	\$ -	
939	1x5/8" Type X Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	54.5	SF	0%	54.54	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
1051	2x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 35 EA	1090.8	SF	0%	1090.80	\$ -	\$ -	\$ -	
1052	Tapping	13089.6	LF	0%	13089.60	\$ -	\$ -	\$ -	
1053	Fireseal Caulking	120.0	LF	0%	120.00	\$ -	\$ -	\$ -	
1054	No.of Screws	1680.0	EA	0%	1680.00	\$ -	\$ -	\$ -	
1055	Joint Compound	57.8	LBS	0%	57.81	\$ -	\$ -	\$ -	
	Wall Type 'C2' (75 LF & 9'-1" H)								
1056	1x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 43 EA	1363.5	SF	0%	1363.50	\$ -	\$ -	\$ -	
1057	Tapping	16362.0	LF	0%	16362.00	\$ -	\$ -	\$ -	
1058	Fireseal Caulking	300.0	LF	0%	300.00	\$ -	\$ -	\$ -	
1059	No.of Screws	2064.0	EA	0%	2064.00	\$ -	\$ -	\$ -	
1060	Joint Compound	72.3	LBS	0%	72.27	\$ -	\$ -	\$ -	
	Wall Type 'C2-W' (28 LF & 9'-1" H)								
1061	1x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 8 EA	254.5	SF	0%	254.52	\$ -	\$ -	\$ -	
1062	1x5/8" Type X Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 8 EA	254.5	SF	0%	254.52	\$ -	\$ -	\$ -	
1063	Tapping	6108.5	LF	0%	6108.48	\$ -	\$ -	\$ -	
1064	Fireseal Caulking	112.0	LF	0%	112.00	\$ -	\$ -	\$ -	
1065	No.of Screws	768.0	EA	0%	768.00	\$ -	\$ -	\$ -	
1066	Joint Compound	27.0	LBS	0%	26.98	\$ -	\$ -	\$ -	
	Wall Type 'D1' (92 LF & 9'-1" H)								
1067	1x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 53 EA	1672.6	SF	0%	1672.56	\$ -	\$ -	\$ -	
1068	Tapping	20070.7	LF	0%	20070.72	\$ -	\$ -	\$ -	
1069	Fireseal Caulking	368.0	LF	0%	368.00	\$ -	\$ -	\$ -	
1070	No.of Screws	2544.0	EA	0%	2544.00	\$ -	\$ -	\$ -	
1071	Joint Compound	88.6	LBS	0%	88.65	\$ -	\$ -	\$ -	
	Wall Type 'D1-W' (7 LF & 9'-1" H)								
1072	1x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	63.6	SF	0%	63.63	\$ -	\$ -	\$ -	
1073	1x5/8" Type X Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	63.6	SF	0%	63.63	\$ -	\$ -	\$ -	
1074	Tapping	1527.1	LF	0%	1527.12	\$ -	\$ -	\$ -	
1075	Fireseal Caulking	28.0	LF	0%	28.00	\$ -	\$ -	\$ -	
1076	No.of Screws	192.0	EA	0%	192.00	\$ -	\$ -	\$ -	
1077	Joint Compound	6.7	LBS	0%	6.74	\$ -	\$ -	\$ -	
	Wall Type 'F1' (18 LF & 9'-1" H)								
1078	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 6 EA	163.6	SF	0%	163.62	\$ -	\$ -	\$ -	
1079	Tapping	1963.4	LF	0%	1963.44	\$ -	\$ -	\$ -	
1080	Acoustic Caulking	36.0	LF	0%	36.00	\$ -	\$ -	\$ -	
1081	No.of Screws	288.0	EA	0%	288.00	\$ -	\$ -	\$ -	
1082	Joint Compound	8.7	LBS	0%	8.67	\$ -	\$ -	\$ -	
	Wall Type 'F2-W' (22 LF & 9'-1" H)								
1083	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 7 EA	200.0	SF	0%	199.98	\$ -	\$ -	\$ -	
1084	Tapping	2399.8	LF	0%	2399.76	\$ -	\$ -	\$ -	
1085	Acoustic Caulking	44.0	LF	0%	44.00	\$ -	\$ -	\$ -	
1086	No.of Screws	336.0	EA	0%	336.00	\$ -	\$ -	\$ -	
1087	Joint Compound	10.6	LBS	0%	10.60	\$ -	\$ -	\$ -	
	Wall Type 'F3' (2 LF & 9'-1" H)								
1088	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 1 EA	18.2	SF	0%	18.18	\$ -	\$ -	\$ -	
1089	Tapping	218.2	LF	0%	218.16	\$ -	\$ -	\$ -	
1090	Acoustic Caulking	4.0	LF	0%	4.00	\$ -	\$ -	\$ -	
1091	No.of Screws	48.0	EA	0%	48.00	\$ -	\$ -	\$ -	
1092	Joint Compound	1.0	LBS	0%	0.96	\$ -	\$ -	\$ -	
	Wall Type 'P1' (4 LF & 7'-6" H)								
1093	1x5/8" Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 2 EA	60.0	SF	0%	60.00	\$ -	\$ -	\$ -	
1094	Tapping	720.0	LF	0%	720.00	\$ -	\$ -	\$ -	
1095	Fireseal Caulking	16.0	LF	0%	16.00	\$ -	\$ -	\$ -	
1096	No.of Screws	96.0	EA	0%	96.00	\$ -	\$ -	\$ -	
1097	Joint Compound	3.2	LBS	0%	3.18	\$ -	\$ -	\$ -	
	Wall Type 'P1' (67 LF & 9'-1" H)								
1098	1x5/8" Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 39 EA	1218.1	SF	0%	1218.06	\$ -	\$ -	\$ -	
1099	Tapping	14616.7	LF	0%	14616.72	\$ -	\$ -	\$ -	
1100	Fireseal Caulking	268.0	LF	0%	268.00	\$ -	\$ -	\$ -	
1101	No.of Screws	1872.0	EA	0%	1872.00	\$ -	\$ -	\$ -	
1102	Joint Compound	64.6	LBS	0%	64.56	\$ -	\$ -	\$ -	
	Wall Type 'P1-W' (4 LF & 7'-6" H)								
1103	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 1 EA	30.0	SF	0%	30.00	\$ -	\$ -	\$ -	
1104	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 1 EA	30.0	SF	0%	30.00	\$ -	\$ -	\$ -	
1105	Tapping	720.0	LF	0%	720.00	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT		
DATE		
Sub Total		\$0
Profit/Overhead @ 20%	20.00%	\$0.00
TOTAL COST		\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
1106	Fireseal Caulking	16.0	LF	0%	16.00	\$ -	\$ -	\$ -	
1107	No.of Screws	96.0	EA	0%	96.00	\$ -	\$ -	\$ -	
1108	Joint Compound	3.2	LBS	0%	3.18	\$ -	\$ -	\$ -	
	Wall Type 'P1-W' (117 LF & 9'-1" H)								
1109	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 34 EA	1063.5	SF	0%	1063.53	\$ -	\$ -	\$ -	
1110	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 34 EA	1063.5	SF	0%	1063.53	\$ -	\$ -	\$ -	
1111	Tapping	25524.7	LF	0%	25524.72	\$ -	\$ -	\$ -	
1112	Fireseal Caulking	468.0	LF	0%	468.00	\$ -	\$ -	\$ -	
1113	No.of Screws	3264.0	EA	0%	3264.00	\$ -	\$ -	\$ -	
1114	Joint Compound	112.7	LBS	0%	112.73	\$ -	\$ -	\$ -	
	Wall Type 'P1-WW' (15 LF & 9'-1" H)								
1115	1x5/8" Moisture & Mildew Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 9 EA	272.7	SF	0%	272.70	\$ -	\$ -	\$ -	
1116	Tapping	3272.4	LF	0%	3272.40	\$ -	\$ -	\$ -	
1117	Fireseal Caulking	60.0	LF	0%	60.00	\$ -	\$ -	\$ -	
1118	No.of Screws	432.0	EA	0%	432.00	\$ -	\$ -	\$ -	
1119	Joint Compound	14.5	LBS	0%	14.45	\$ -	\$ -	\$ -	
	Wall Type 'P2-W' (7 LF & 7'-6" H)								
1120	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	52.5	SF	0%	52.50	\$ -	\$ -	\$ -	
1121	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	52.5	SF	0%	52.50	\$ -	\$ -	\$ -	
1122	Tapping	1260.0	LF	0%	1260.00	\$ -	\$ -	\$ -	
1123	Fireseal Caulking	28.0	LF	0%	28.00	\$ -	\$ -	\$ -	
1124	No.of Screws	192.0	EA	0%	192.00	\$ -	\$ -	\$ -	
1125	Joint Compound	5.6	LBS	0%	5.57	\$ -	\$ -	\$ -	
	Wall Type 'P2-W' (24 LF & 9'-1" H)								
1126	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 7 EA	218.2	SF	0%	218.16	\$ -	\$ -	\$ -	
1127	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 7 EA	218.2	SF	0%	218.16	\$ -	\$ -	\$ -	
1128	Tapping	5235.8	LF	0%	5235.84	\$ -	\$ -	\$ -	
1129	Fireseal Caulking	96.0	LF	0%	96.00	\$ -	\$ -	\$ -	
1130	No.of Screws	672.0	EA	0%	672.00	\$ -	\$ -	\$ -	
1131	Joint Compound	23.1	LBS	0%	23.12	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (52 LF & 11'-4" H)								
1132	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 37 EA	1178.3	SF	0%	1178.32	\$ -	\$ -	\$ -	
1133	Tapping	14139.8	LF	0%	14139.84	\$ -	\$ -	\$ -	
1134	Fireseal Caulking	104.0	LF	0%	104.00	\$ -	\$ -	\$ -	
1135	No.of Screws	1776.0	EA	0%	1776.00	\$ -	\$ -	\$ -	
1136	Joint Compound	62.5	LBS	0%	62.45	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (27 LF & 1'-2" H)								
1137	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	62.6	SF	0%	62.64	\$ -	\$ -	\$ -	
1138	Tapping	751.7	LF	0%	751.68	\$ -	\$ -	\$ -	
1139	Fireseal Caulking	54.0	LF	0%	54.00	\$ -	\$ -	\$ -	
1140	No.of Screws	96.0	EA	0%	96.00	\$ -	\$ -	\$ -	
1141	Joint Compound	3.3	LBS	0%	3.32	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (27 LF & 3'-4" H)								
1142	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 6 EA	179.8	SF	0%	179.82	\$ -	\$ -	\$ -	
1143	Tapping	2157.8	LF	0%	2157.84	\$ -	\$ -	\$ -	
1144	Fireseal Caulking	54.0	LF	0%	54.00	\$ -	\$ -	\$ -	
1145	No.of Screws	288.0	EA	0%	288.00	\$ -	\$ -	\$ -	
1146	Joint Compound	9.5	LBS	0%	9.53	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (27 LF & 14'-10" H)								
1147	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 26 EA	801.4	SF	0%	801.36	\$ -	\$ -	\$ -	
1148	Tapping	9616.3	LF	0%	9616.32	\$ -	\$ -	\$ -	
1149	Fireseal Caulking	54.0	LF	0%	54.00	\$ -	\$ -	\$ -	
1150	No.of Screws	1248.0	EA	0%	1248.00	\$ -	\$ -	\$ -	
1151	Joint Compound	42.5	LBS	0%	42.47	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (29 LF & 15'-10" H)								
1152	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 29 EA	918.7	SF	0%	918.72	\$ -	\$ -	\$ -	
1153	Tapping	11024.6	LF	0%	11024.64	\$ -	\$ -	\$ -	
1154	Fireseal Caulking	58.0	LF	0%	58.00	\$ -	\$ -	\$ -	
1155	No.of Screws	1392.0	EA	0%	1392.00	\$ -	\$ -	\$ -	
1156	Joint Compound	48.7	LBS	0%	48.69	\$ -	\$ -	\$ -	
	Wall Type 'EX1a-W' (13 LF & 14'-10" H)								
1157	2x5/8" Type X Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 13 EA	385.8	SF	0%	385.84	\$ -	\$ -	\$ -	
1158	Tapping	4630.1	LF	0%	4630.08	\$ -	\$ -	\$ -	
1159	Fireseal Caulking	26.0	LF	0%	26.00	\$ -	\$ -	\$ -	
1160	No.of Screws	624.0	EA	0%	624.00	\$ -	\$ -	\$ -	
1161	Joint Compound	20.4	LBS	0%	20.45	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
Wall Type 'EX1a-W' (9 LF & 15'-10" H)									
1162	2x5/8" Type X Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 9 EA	285.1	SF	0%	285.12	\$ -	\$ -	\$ -	
1163	Tapping	3421.4	LF	0%	3421.44	\$ -	\$ -	\$ -	
1164	Fireseal Caulking	18.0	LF	0%	18.00	\$ -	\$ -	\$ -	
1165	No.of Screws	432.0	EA	0%	432.00	\$ -	\$ -	\$ -	
1166	Joint Compound	15.1	LBS	0%	15.11	\$ -	\$ -	\$ -	
Wall Type 'EX2' (14 LF & 11'-4" H)									
1167	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 10 EA	317.2	SF	0%	317.24	\$ -	\$ -	\$ -	
1168	Tapping	3806.9	LF	0%	3806.88	\$ -	\$ -	\$ -	
1169	Fireseal Caulking	28.0	LF	0%	28.00	\$ -	\$ -	\$ -	
1170	No.of Screws	480.0	EA	0%	480.00	\$ -	\$ -	\$ -	
1171	Joint Compound	16.8	LBS	0%	16.81	\$ -	\$ -	\$ -	
Wall Type 'EX3' (36 LF & 11'-4" H)									
1172	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 26 EA	815.8	SF	0%	815.76	\$ -	\$ -	\$ -	
1173	Tapping	9789.1	LF	0%	9789.12	\$ -	\$ -	\$ -	
1174	Fireseal Caulking	72.0	LF	0%	72.00	\$ -	\$ -	\$ -	
1175	No.of Screws	1248.0	EA	0%	1248.00	\$ -	\$ -	\$ -	
1176	Joint Compound	43.2	LBS	0%	43.24	\$ -	\$ -	\$ -	
Wall Type 'EX4' (29 LF & 1'-2" H)									
1177	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 3 EA	67.3	SF	0%	67.28	\$ -	\$ -	\$ -	
1178	Tapping	807.4	LF	0%	807.36	\$ -	\$ -	\$ -	
1179	Fireseal Caulking	58.0	LF	0%	58.00	\$ -	\$ -	\$ -	
1180	No.of Screws	144.0	EA	0%	144.00	\$ -	\$ -	\$ -	
1181	Joint Compound	3.6	LBS	0%	3.57	\$ -	\$ -	\$ -	
Wall Type 'EX4' (29 LF & 3'-4" H)									
1182	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 7 EA	193.1	SF	0%	193.14	\$ -	\$ -	\$ -	
1183	Tapping	2317.7	LF	0%	2317.68	\$ -	\$ -	\$ -	
1184	Fireseal Caulking	58.0	LF	0%	58.00	\$ -	\$ -	\$ -	
1185	No.of Screws	336.0	EA	0%	336.00	\$ -	\$ -	\$ -	
1186	Joint Compound	10.2	LBS	0%	10.24	\$ -	\$ -	\$ -	
Wall Type 'EX4' (10 LF & 3'-4" H)									
1187	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 3 EA	66.6	SF	0%	66.60	\$ -	\$ -	\$ -	
1188	Tapping	799.2	LF	0%	799.20	\$ -	\$ -	\$ -	
1189	Fireseal Caulking	20.0	LF	0%	20.00	\$ -	\$ -	\$ -	
1190	No.of Screws	144.0	EA	0%	144.00	\$ -	\$ -	\$ -	
1191	Joint Compound	3.5	LBS	0%	3.53	\$ -	\$ -	\$ -	
Wall Type 'EX5' (8 LF & 11'-4" H)									
1192	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 6 EA	181.3	SF	0%	181.28	\$ -	\$ -	\$ -	
1193	Tapping	2175.4	LF	0%	2175.36	\$ -	\$ -	\$ -	
1194	Fireseal Caulking	16.0	LF	0%	16.00	\$ -	\$ -	\$ -	
1195	No.of Screws	288.0	EA	0%	288.00	\$ -	\$ -	\$ -	
1196	Joint Compound	9.6	LBS	0%	9.61	\$ -	\$ -	\$ -	
PENTHOUSE FLOOR									
Wall Type 'C1' (17 LF & 8'-5" H)									
1197	2x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 18 EA	574.6	SF	0%	574.60	\$ -	\$ -	\$ -	
1198	Tapping	6895.2	LF	0%	6895.20	\$ -	\$ -	\$ -	
1199	Fireseal Caulking	68.0	LF	0%	68.00	\$ -	\$ -	\$ -	
1200	No.of Screws	864.0	EA	0%	864.00	\$ -	\$ -	\$ -	
1201	Joint Compound	30.5	LBS	0%	30.45	\$ -	\$ -	\$ -	
Wall Type 'D1' (59 LF & 8'-5" H)									
1202	1x5/8" Type X Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 32 EA	997.1	SF	0%	997.10	\$ -	\$ -	\$ -	
1203	Tapping	11965.2	LF	0%	11965.20	\$ -	\$ -	\$ -	
1204	Fireseal Caulking	236.0	LF	0%	236.00	\$ -	\$ -	\$ -	
1205	No.of Screws	1536.0	EA	0%	1536.00	\$ -	\$ -	\$ -	
1206	Joint Compound	52.8	LBS	0%	52.85	\$ -	\$ -	\$ -	
Wall Type 'D1-W' (41 LF & 8'-5" H)									
1207	1x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 11 EA	346.5	SF	0%	346.45	\$ -	\$ -	\$ -	
1208	1x5/8" Type X Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 11 EA	346.5	SF	0%	346.45	\$ -	\$ -	\$ -	
1209	Tapping	8314.8	LF	0%	8314.80	\$ -	\$ -	\$ -	
1210	Fireseal Caulking	164.0	LF	0%	164.00	\$ -	\$ -	\$ -	
1211	No.of Screws	1056.0	EA	0%	1056.00	\$ -	\$ -	\$ -	
1212	Joint Compound	36.7	LBS	0%	36.72	\$ -	\$ -	\$ -	
Wall Type 'D1-WW' (6 LF & 8'-5" H)									
1213	1x5/8" Type X Moisture & Mildew Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 4 EA	101.4	SF	0%	101.40	\$ -	\$ -	\$ -	
1214	Tapping	1216.8	LF	0%	1216.80	\$ -	\$ -	\$ -	
1215	Fireseal Caulking	24.0	LF	0%	24.00	\$ -	\$ -	\$ -	
1216	No.of Screws	192.0	EA	0%	192.00	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
1217	Joint Compound	5.4	LBS	0%	5.37	\$ -	\$ -	\$ -	
	Wall Type 'F1-W' (22 LF & 8'-5" H)								
1218	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 6 EA	185.9	SF	0%	185.90	\$ -	\$ -	\$ -	
1219	Tapping	2230.8	LF	0%	2230.80	\$ -	\$ -	\$ -	
1220	Acoustic Caulking	44.0	LF	0%	44.00	\$ -	\$ -	\$ -	
1221	No.of Screws	288.0	EA	0%	288.00	\$ -	\$ -	\$ -	
1222	Joint Compound	9.9	LBS	0%	9.85	\$ -	\$ -	\$ -	
	Wall Type 'P1' (86 LF & 8'-5" H)								
1223	1x5/8" Gypsum Wall Board Each Side No.of Sheets (4' x 8') = 46 EA	1453.4	SF	0%	1453.40	\$ -	\$ -	\$ -	
1224	Tapping	17440.8	LF	0%	17440.80	\$ -	\$ -	\$ -	
1225	Fireseal Caulking	344.0	LF	0%	344.00	\$ -	\$ -	\$ -	
1226	No.of Screws	2208.0	EA	0%	2208.00	\$ -	\$ -	\$ -	
1227	Joint Compound	77.0	LBS	0%	77.03	\$ -	\$ -	\$ -	
	Wall Type 'P1-W' (104 LF & 8'-5" H)								
1228	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 28 EA	878.8	SF	0%	878.80	\$ -	\$ -	\$ -	
1229	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 28 EA	878.8	SF	0%	878.80	\$ -	\$ -	\$ -	
1230	Tapping	21091.2	LF	0%	21091.20	\$ -	\$ -	\$ -	
1231	Fireseal Caulking	416.0	LF	0%	416.00	\$ -	\$ -	\$ -	
1232	No.of Screws	2688.0	EA	0%	2688.00	\$ -	\$ -	\$ -	
1233	Joint Compound	93.2	LBS	0%	93.15	\$ -	\$ -	\$ -	
	Wall Type 'P2-W' (3 LF & 8'-5" H)								
1234	1x5/8" Gypsum Wall Board One Side No.of Sheets (4' x 8') = 1 EA	25.4	SF	0%	25.35	\$ -	\$ -	\$ -	
1235	1x5/8" Moisture & Mildew Gypsum Wall Board One Side No.of Sheets (4' x 8') = 1 EA	25.4	SF	0%	25.35	\$ -	\$ -	\$ -	
1236	Tapping	608.4	LF	0%	608.40	\$ -	\$ -	\$ -	
1237	Fireseal Caulking	12.0	LF	0%	12.00	\$ -	\$ -	\$ -	
1238	No.of Screws	96.0	EA	0%	96.00	\$ -	\$ -	\$ -	
1239	Joint Compound	2.7	LBS	0%	2.69	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (94 LF & 10'-6" H)								
1240	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 62 EA	1974.0	SF	0%	1974.00	\$ -	\$ -	\$ -	
1241	Tapping	23688.0	LF	0%	23688.00	\$ -	\$ -	\$ -	
1242	Fireseal Caulking	188.0	LF	0%	188.00	\$ -	\$ -	\$ -	
1243	No.of Screws	2976.0	EA	0%	2976.00	\$ -	\$ -	\$ -	
1244	Joint Compound	104.6	LBS	0%	104.62	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (16 LF & 1'-6" H)								
1245	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	48.0	SF	0%	48.00	\$ -	\$ -	\$ -	
1246	Tapping	576.0	LF	0%	576.00	\$ -	\$ -	\$ -	
1247	Fireseal Caulking	32.0	LF	0%	32.00	\$ -	\$ -	\$ -	
1248	No.of Screws	96.0	EA	0%	96.00	\$ -	\$ -	\$ -	
1249	Joint Compound	2.5	LBS	0%	2.54	\$ -	\$ -	\$ -	
	Wall Type 'EX1a' (25 LF & 1'-8" H)								
1250	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 3 EA	83.5	SF	0%	83.50	\$ -	\$ -	\$ -	
1251	Tapping	1002.0	LF	0%	1002.00	\$ -	\$ -	\$ -	
1252	Fireseal Caulking	50.0	LF	0%	50.00	\$ -	\$ -	\$ -	
1253	No.of Screws	144.0	EA	0%	144.00	\$ -	\$ -	\$ -	
1254	Joint Compound	4.4	LBS	0%	4.43	\$ -	\$ -	\$ -	
	Wall Type 'EX1b' (38 LF & 10'-6" H)								
1255	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 25 EA	798.0	SF	0%	798.00	\$ -	\$ -	\$ -	
1256	Tapping	9576.0	LF	0%	9576.00	\$ -	\$ -	\$ -	
1257	Fireseal Caulking	76.0	LF	0%	76.00	\$ -	\$ -	\$ -	
1258	No.of Screws	1200.0	EA	0%	1200.00	\$ -	\$ -	\$ -	
1259	Joint Compound	42.3	LBS	0%	42.29	\$ -	\$ -	\$ -	
	Wall Type 'EX1b' (19 LF & 1'-6" H)								
1260	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 2 EA	57.0	SF	0%	57.00	\$ -	\$ -	\$ -	
1261	Tapping	684.0	LF	0%	684.00	\$ -	\$ -	\$ -	
1262	Fireseal Caulking	38.0	LF	0%	38.00	\$ -	\$ -	\$ -	
1263	No.of Screws	96.0	EA	0%	96.00	\$ -	\$ -	\$ -	
1264	Joint Compound	3.0	LBS	0%	3.02	\$ -	\$ -	\$ -	
	Wall Type 'EX1b' (25 LF & 1'-8" H)								
1265	2x5/8" Type X Gypsum Wall Board One Side No.of Sheets (4' x 8') = 3 EA	83.5	SF	0%	83.50	\$ -	\$ -	\$ -	
1266	Tapping	1002.0	LF	0%	1002.00	\$ -	\$ -	\$ -	
1267	Fireseal Caulking	50.0	LF	0%	50.00	\$ -	\$ -	\$ -	
1268	No.of Screws	144.0	EA	0%	144.00	\$ -	\$ -	\$ -	
1269	Joint Compound	4.4	LBS	0%	4.43	\$ -	\$ -	\$ -	
	CEILING								
	CELLAR FLOOR								
1270	1x5/8" Gypsum Wall Board Ceiling No.of Sheets (4' x 8') = 67 EA	2114.0	SF	0%	2114.00	\$ -	\$ -	\$ -	

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
1271	1x5/8" MR Gypsum Wall Board Ceiling No.of Sheets (4' x 8') = 13 EA	395.0	SF	0%	395.00	\$ -	\$ -	\$ -	
1272	Tapping	30108.0	LF	0%	30108.00	\$ -	\$ -	\$ -	
1273	No.of Screws	3840.0	EA	0%	3840.00	\$ -	\$ -	\$ -	
1274	Joint Compound	133.0	LBS	0%	132.98	\$ -	\$ -	\$ -	
FIRST FLOOR									
1275	1x5/8" Gypsum Wall Board Ceiling No.of Sheets (4' x 8') = 62 EA	1956.0	SF	0%	1956.00	\$ -	\$ -	\$ -	
1276	1x5/8" MR Gypsum Wall Board Ceiling No.of Sheets (4' x 8') = 14 EA	422.0	SF	0%	422.00	\$ -	\$ -	\$ -	
1277	Tapping	28536.0	LF	0%	28536.00	\$ -	\$ -	\$ -	
1278	No.of Screws	3648.0	EA	0%	3648.00	\$ -	\$ -	\$ -	
1279	Joint Compound	126.0	LBS	0%	126.03	\$ -	\$ -	\$ -	
2ND FLOOR									
1280	1x5/8" Gypsum Wall Board Ceiling No.of Sheets (4' x 8') = 73 EA	2329.0	SF	0%	2329.00	\$ -	\$ -	\$ -	
1281	1x5/8" MR Gypsum Wall Board Ceiling No.of Sheets (4' x 8') = 14 EA	448.0	SF	0%	448.00	\$ -	\$ -	\$ -	
1282	Tapping	33324.0	LF	0%	33324.00	\$ -	\$ -	\$ -	
1283	No.of Screws	4176.0	EA	0%	4176.00	\$ -	\$ -	\$ -	
1284	Joint Compound	147.2	LBS	0%	147.18	\$ -	\$ -	\$ -	
3RD FLOOR									
1285	1x5/8" Gypsum Wall Board Ceiling No.of Sheets (4' x 8') = 73 EA	2329.0	SF	0%	2329.00	\$ -	\$ -	\$ -	
1286	1x5/8" MR Gypsum Wall Board Ceiling No.of Sheets (4' x 8') = 14 EA	448.0	SF	0%	448.00	\$ -	\$ -	\$ -	
1287	Tapping	33324.0	LF	0%	33324.00	\$ -	\$ -	\$ -	
1288	No.of Screws	4176.0	EA	0%	4176.00	\$ -	\$ -	\$ -	
1289	Joint Compound	147.2	LBS	0%	147.18	\$ -	\$ -	\$ -	
FOURTH FLOOR									
1290	1x5/8" Gypsum Wall Board Ceiling No.of Sheets (4' x 8') = 80 EA	2534.0	SF	0%	2534.00	\$ -	\$ -	\$ -	
1291	1x5/8" MR Gypsum Wall Board Ceiling No.of Sheets (4' x 8') = 10 EA	294.0	SF	0%	294.00	\$ -	\$ -	\$ -	
1292	Tapping	33936.0	LF	0%	33936.00	\$ -	\$ -	\$ -	
1293	No.of Screws	4320.0	EA	0%	4320.00	\$ -	\$ -	\$ -	
1294	Joint Compound	149.9	LBS	0%	149.88	\$ -	\$ -	\$ -	
PENTHOUSE FLOOR									
1295	1x5/8" Gypsum Wall Board Ceiling No.of Sheets (4' x 8') = 38 EA	1204.0	SF	0%	1204.00	\$ -	\$ -	\$ -	
1296	1x5/8" MR Gypsum Wall Board Ceiling No.of Sheets (4' x 8') = 10 EA	314.0	SF	0%	314.00	\$ -	\$ -	\$ -	
1297	Tapping	18216.0	LF	0%	18216.00	\$ -	\$ -	\$ -	
1298	No.of Screws	2304.0	EA	0%	2304.00	\$ -	\$ -	\$ -	
1299	Joint Compound	80.5	LBS	0%	80.45	\$ -	\$ -	\$ -	
RESILIENT CHANNEL WALLS									
CELLAR FLOOR									
Wall Type 'C1' (75 LF & 10'-6" H)									
1300	1/2" 25 ga. Resilient Channel	787.5	SF	0%	787.50	\$ -	\$ -	\$ -	
Wall Type 'C2' (101 LF & 9'-1" H)									
1301	1/2" 25 ga. Resilient Channel	918.1	SF	0%	918.09	\$ -	\$ -	\$ -	
Wall Type 'C2-W' (22 LF & 9'-1" H)									
1302	1/2" 25 ga. Resilient Channel	200.0	SF	0%	199.98	\$ -	\$ -	\$ -	
Wall Type 'C3' (40 LF & 9'-1" H)									
1303	1/2" 25 ga. Resilient Channel	363.6	SF	0%	363.60	\$ -	\$ -	\$ -	
Wall Type 'D1' (32 LF & 9'-1" H)									
1304	1/2" 25 ga. Resilient Channel	290.9	SF	0%	290.88	\$ -	\$ -	\$ -	
Wall Type 'D1-W' (6 LF & 9'-1" H)									
1305	1/2" 25 ga. Resilient Channel	54.5	SF	0%	54.54	\$ -	\$ -	\$ -	
FIRST FLOOR									
Wall Type 'C1' (123 LF & 9'-1" H)									
1306	1/2" 25 ga. Resilient Channel	1118.1	SF	0%	1118.07	\$ -	\$ -	\$ -	
Wall Type 'C1' (60 LF & 10'-6" H)									
1307	1/2" 25 ga. Resilient Channel	630.0	SF	0%	630.00	\$ -	\$ -	\$ -	
Wall Type 'C1-W' (14 LF & 9'-1" H)									
1308	1/2" 25 ga. Resilient Channel	127.4	SF	0%	127.40	\$ -	\$ -	\$ -	
Wall Type 'D1' (22 LF & 9'-1" H)									
1309	1/2" 25 ga. Resilient Channel	200.0	SF	0%	199.98	\$ -	\$ -	\$ -	
Wall Type 'D1-W' (16 LF & 9'-1" H)									
1310	1/2" 25 ga. Resilient Channel	145.4	SF	0%	145.44	\$ -	\$ -	\$ -	
2ND FLOOR									
Wall Type 'C1' (75 LF & 10'-6" H)									
1311	1/2" 25 ga. Resilient Channel	787.5	SF	0%	787.50	\$ -	\$ -	\$ -	
Wall Type 'C2' (47 LF & 9'-1" H)									
1312	1/2" 25 ga. Resilient Channel	427.2	SF	0%	427.23	\$ -	\$ -	\$ -	
Wall Type 'C2-W' (37 LF & 9'-1" H)									
1313	1/2" 25 ga. Resilient Channel	336.3	SF	0%	336.33	\$ -	\$ -	\$ -	
Wall Type 'D1' (54 LF & 9'-1" H)									

PROJECT :
Estimated By:



CILENT	
DATE	
Sub Total	\$0
Profit/Overhead @ 20%	20.00% \$0.00
TOTAL COST	\$0

SR #	DESCRIPTION	QUANTITY	UNIT	WASTAGE	QUANTITY W/ WASTAGE	UNIT LAB	UNIT MAT	TOTAL COST	TRADE COST
1314	1/2" 25 ga. Resilient Channel Wall Type 'D1-W' (6 LF & 9'-1" H)	490.9	SF	0%	490.86	\$ -	\$ -	\$ -	
1315	1/2" 25 ga. Resilient Channel Wall Type 'D1-WW' (6 LF & 9'-1" H)	54.5	SF	0%	54.54	\$ -	\$ -	\$ -	
1316	1/2" 25 ga. Resilient Channel 3RD FLOOR Wall Type 'C1' (75 LF & 10'-6" H)	54.5	SF	0%	54.54	\$ -	\$ -	\$ -	
1317	1/2" 25 ga. Resilient Channel Wall Type 'C2' (47 LF & 9'-1" H)	787.5	SF	0%	787.50	\$ -	\$ -	\$ -	
1318	1/2" 25 ga. Resilient Channel Wall Type 'C2-W' (37 LF & 9'-1" H)	427.2	SF	0%	427.23	\$ -	\$ -	\$ -	
1319	1/2" 25 ga. Resilient Channel Wall Type 'D1' (54 LF & 9'-1" H)	336.3	SF	0%	336.33	\$ -	\$ -	\$ -	
1320	1/2" 25 ga. Resilient Channel Wall Type 'D1-W' (6 LF & 9'-1" H)	490.9	SF	0%	490.86	\$ -	\$ -	\$ -	
1321	1/2" 25 ga. Resilient Channel Wall Type 'D1-WW' (6 LF & 9'-1" H)	54.5	SF	0%	54.54	\$ -	\$ -	\$ -	
1322	1/2" 25 ga. Resilient Channel FOURTH FLOOR Wall Type 'C1' (4 LF & 11'-0" H)	54.5	SF	0%	54.54	\$ -	\$ -	\$ -	
1323	1/2" 25 ga. Resilient Channel Wall Type 'C1' (41 LF & 11'-6" H)	44.0	SF	0%	44.00	\$ -	\$ -	\$ -	
1324	1/2" 25 ga. Resilient Channel Wall Type 'C1' (30 LF & 9'-1" H)	471.5	SF	0%	471.50	\$ -	\$ -	\$ -	
1325	1/2" 25 ga. Resilient Channel Wall Type 'C2' (75 LF & 9'-1" H)	272.7	SF	0%	272.70	\$ -	\$ -	\$ -	
1326	1/2" 25 ga. Resilient Channel Wall Type 'C2-W' (28 LF & 9'-1" H)	681.8	SF	0%	681.75	\$ -	\$ -	\$ -	
1327	1/2" 25 ga. Resilient Channel Wall Type 'D1' (92 LF & 9'-1" H)	254.5	SF	0%	254.52	\$ -	\$ -	\$ -	
1328	1/2" 25 ga. Resilient Channel Wall Type 'D1-W' (7 LF & 9'-1" H)	836.3	SF	0%	836.28	\$ -	\$ -	\$ -	
1329	1/2" 25 ga. Resilient Channel PENTHOUSE FLOOR Wall Type 'C1' (17 LF & 8'-5" H)	63.6	SF	0%	63.63	\$ -	\$ -	\$ -	
1330	1/2" 25 ga. Resilient Channel Wall Type 'D1' (59 LF & 8'-5" H)	143.7	SF	0%	143.65	\$ -	\$ -	\$ -	
1331	1/2" 25 ga. Resilient Channel Wall Type 'D1-W' (41 LF & 8'-5" H)	498.6	SF	0%	498.55	\$ -	\$ -	\$ -	
1332	1/2" 25 ga. Resilient Channel Wall Type 'D1-WW' (6 LF & 8'-5" H)	346.5	SF	0%	346.45	\$ -	\$ -	\$ -	
1333	1/2" 25 ga. Resilient Channel CEILING	50.7	SF	0%	50.70	\$ -	\$ -	\$ -	
1334	25Ga. Resilient Channel @ 24" O.C. Max. Hor. (1473 EA) CELLAR FLOOR	2946.0	SF	0%	2946.00	\$ -	\$ -	\$ -	
1335	25Ga. Resilient Channel @ 24" O.C. Max. Hor. (1470 EA) FIRST FLOOR	2939.0	SF	0%	2939.00	\$ -	\$ -	\$ -	
1336	25Ga. Resilient Channel @ 24" O.C. Max. Hor. (1478 EA) 2ND FLOOR	2955.0	SF	0%	2955.00	\$ -	\$ -	\$ -	
1337	25Ga. Resilient Channel @ 24" O.C. Max. Hor. (1478 EA) 3RD FLOOR	2955.0	SF	0%	2955.00	\$ -	\$ -	\$ -	
1338	25Ga. Resilient Channel @ 24" O.C. Max. Hor. (1472 EA) FOURTH FLOOR	2944.0	SF	0%	2944.00	\$ -	\$ -	\$ -	
1339	25Ga. Resilient Channel @ 24" O.C. Max. Hor. (759 EA) PENTHOUSE FLOOR	1518.0	SF	0%	1518.00	\$ -	\$ -	\$ -	
Sub Total									\$0